


 **ANCHOR**
by **Panasonic**

Fans



Soch Badlo...
Hawa Toh Badalti Rahegi!

NAYI HAWA
NAYI SOCH

Stars hai
toh savings hai...



INTRODUCTION

Growing in strength and stature for 60+ years, PLSIND is recognized for its product quality, trust & innovation. Joining forces with Panasonic in 2007, the company today employs 9,500+ professionals, and is constantly looking to expand its horizons.

The Fans division of Panasonic Life Solutions Pvt. Ltd. constantly endeavours to deliver stellar products to the end-user and is vital towards the growth of Anchor as a preferred brand.



Established
1963



Aquisition
Apr, 2007



Sales
₹60+ Billion



Headquarter
Thane, India



Sales Offices
30



Organisation Strength
9500+



Factories
6



VENTILATION RANGE

**Why compromise, when you can have
the best of choice!**

Would you want to compromise on anything that truly matters? Our range of ventilation fans ensures you never have to. Designed with modern elegance, their powerful performance clears out unhealthy air-while impressing you with style and comfort.



Panasonic




FV-24CH9 / FV-24CU9 / FV-17CU9


CEILING MOUNT VENTILATION FAN

NEW

FV-24CH9 / FV-24CU9



FV-17CU9



Features

- HP (Half Pitch) motor with ball bearing
- Taper blade sirocco fan
- Curve-Shaped backdraft shutter
- Super low noise level

Specification

Model No.	Voltage		Air Volume		Consumption	Noise	Weight	Installation Space	Duct Size
	[V]	[Hz]	[m ³ /h]	[CFM]	[W]	[dB (A)]	[kg]	[mm]	[mm]
FV-24CH9	230	50	210	123	18	34	2.7	240 x 240	ø 100
FV-24CU9	230	50	150	88	11	26	2.7	240 x 240	ø 100
FV-17CU9	230	50	85	50	8.5	24.5	1.7	177 x 177	ø 100

NEW





Panasonic

WALL MOUNT VENTILATION FAN - PIPE FAN



FV-10EGD2 / FV-15EGD2



Model No.	A	B	C	C	E	F	G
FV-10EGD2	176	170	83	177	6	87	111
FV-15EGD2	230	220	86	231	6	89	155

Features

- Compact and stylish
- Very low power consumption
- Super low noise level
- Slim & sturdy design

Specification

Model No.	Voltage		Air Volume	Consumption	Noise	Weight	Speed	Wall Installation	Ceiling Installation
	[V]	[Hz]						Wood Frame Size [mm]	Hole Size [mm]
FV-10EGD2	230	50	82	4.6	34	0.8	2,680	120-130	ø 130 ~ 140
FV-15EGD2	230	50	170	6.0	37	0.9	2,250	165-175	ø 175 ~ 185



Panasonic




FV-15CSD117

Features

- Silent operation
- Low power consumption
- Easy installation
- Contemporary design
- Compact size

AIR-E



Specification

Model No.	Voltage		Air Volume		Consumption	Noise	Weight
	[V]	[Hz]	[m ³ /h]	[CFM]	[W]	[dB (A)]	[kg]
FV-15CSD1	220	50	15	8.8	4	23.5	1.1*
		50	16	9.4	4	25.5	
	230	50	16	9.4	4	25.5	
		50	17	10	4	27	



SMART AIR HIGH SPEED

Plastic Ventilation



Brown
14982BR



White
14982WH




Black
14982BK

**HIGH
SPEED**


Features

- High performance motor
- Suitable for window and wall mounted installation
- Compact design
- Automatic back louvers
- Thermal protection for extra safety

Dimensions (mm)



Hole to Hole Distance
for installation (mm)



Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
150	2500	40	500
200	2100	65	765

Model	Dimensions (mm)					Wood Frame Size	Hole to Hole Distance (mm)
	A	B	C	D	E		
Smart Air HS 150mm	150	244	191	75	30	195 x 195mm	206
Smart Air HS 200mm	200	294	240	87	40	245 x 245mm	262



For Environment &
Health Protection

SMART AIR

Plastic Ventilation



White
13979WH



Black
13979BK




Ivory
13979IV


Features

- High performance motor
- Suitable for window and wall mounted installation
- Compact design
- Automatic back louvers
- Thermal protection for extra safety

Dimensions (mm)



Hole to Hole Distance for Installation (mm)



Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
150	1350	32	300
200	1300	35	550
250	1250	37	750
300	1150	45	1200

Model	Dimensions (mm)						Hole to Hole Distance (mm)
	A	B	C	D	E	Wood Frame Size	F
Smart Air 150mm	150	244	191	75	30	195 x 195mm	206
Smart Air 200mm	200	294	240	87	40	245 x 245mm	262
Smart Air 250mm	250	344	291	91	40	295 x 295mm	312
Smart Air 300mm	295	392	335	85	45	340 x 340mm	353



For Environment & Health Protection

SMART AIR COMPACT FIT

Plastic Ventilation



White
14172WH



Black
14172BK


Features

- High performance motor
- Suitable for window and wall mounted installation
- Compact design
- Automatic back louvers
- Thermal protection for extra safety


Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
150	1350	32	300

Dimensions (mm)



Hole to Hole Distance
for Installation (mm)



Dimensions (mm)							Hole to Hole Distance (mm)
Model	A	B	C	D	E	Wood Frame Size	F
Smart Air Compact Fit 150mm	150	244	175	85	35	179 x 179mm	206

Existing			New		
A	B	C	A	B	C
Sweep (mm)	Back Frame Size (L x B)mm	Wood Frame Size (L x B)mm	Sweep (mm)	Back Frame Size (L x B)mm	Wood Frame Size (L x B)mm
150	191 x 191	195 x 195	150	175 x 175	179 x 179



For Environment & Health Protection

SMART AIR GR

Plastic Ventilation



White
14988WH


Features

- Safety grill on front side
- Suitable for window and wall mounted installation
- Compact design
- Automatic back louvers
- Thermal protection for extra safety


Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
200	1300	35	550

Dimension (mm)



Hole to Hole Distance for Installation (mm)



Dimensions (mm)							Hole to Hole Distance (mm)
Model	A	B	C	D	E	Wood Frame Size	F
Smart Air Grill	200	294	240	87	67	245 x 245mm	262



For Environment & Health Protection



SMART AIR V-05

Pipe Series



Black
14244BK



Ivory
14244IV




White
14244WH

Features

- High performance motor
- Super efficient motor for better suction
- Safety guard for both side
- Exceptionally silent operation
- Easily removable front for cleaning
- Thermal protection for extra safety

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
100	2500	18	90
150	1850	24	250
200	2000	25	350



Dimensions (mm)					Hole to Hole Distance (mm)
Model	A	B	C	D	E
Smart Air V-05 100mm	110	149	81	13	115
Smart Air V-05 150mm	148	178	81	13	146
Smart Air V-05 200mm	180	221	108	13	180

HIGH SPEED



For Environment & Health Protection

SMART AIR V-04

Pipe Series



White
14177WH


Features

- High performance motor
- Super efficient motor for better suction
- Safety guard for both side
- Exceptionally silent operation
- Easily removable front for cleaning
- Grill with shutter


Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
150	2300	26	240

Dimensions (mm)



Hole to Hole Distance for Installation (mm)



Dimensions (mm)				Hole to Hole Distance (mm)	
Model	A	B	C	D	F
Smart Air V-04 150mm	152	209	85	37	155

HIGH
SPEED



For Environment &
Health Protection

SMART AIR V-03

Pipe Series



White
14176WH



Features

- High performance motor
- Super efficient motor for better suction
- Safety guard for both side
- Exceptionally silent operation
- Easily removable front for cleaning


Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
150	2300	24	240

Dimensions (mm)



Hole to Hole Distance for Installation (mm)



Dimensions (mm)						Hole to Hole Distance (mm)	
Model	A	B	C	D	E	F	G
Smart Air V-03 150mm	209	209	38	105	148	146	146



For Environment & Health Protection

SMART AIR V-02

Pipe Series



White
14036WH



Ivory
14036IV



Black
14036BK


Features

- High performance motor
- Inbuilt front grill helps eliminate all unwanted foreign material
- Aesthetic design with powerful motor


Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
150	2100	25	240

Dimensions (mm)



Hole to Hole Distance for Installation (mm)



Dimensions (mm)						Hole to Hole Distance (mm)
Model	A	B	C	D	E	F
Smart Air V-02 150mm	150	197	144	62	25	100

HIGH SPEED



For Environment & Health Protection

SMART AIR V-01

Pipe Series



White
14031WH



Ivory
14031IV



Stainless Steel
14031SS



Wood
14031WD





Features

- High performance motor
- Inbuilt front plate helps eliminate all unwanted odours and smoke
- Equipped with super-efficient motor for durability and designed with sleek aesthetics
- Safety guard for both sides


Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
100	2600	18	70
150	2300	24	240

Dimensions (mm)



Hole to Hole Distance for Installation (mm)



Model	Dimensions (mm)					Hole to Hole Distance (mm)	
	A	B	C	D	E	F	G
Smart Air V-01 100mm	175	175	27	105	115	115	115
Smart Air V-01 150mm	209	209	29	105	148	146	146



For Environment & Health Protection



SMART AIR HIGH SPEED

Ceiling Mount
Ventilation Fan

NEW



V06 GR

White
14334WH




V05

White
14333WH

Features


- Super efficient motor for better suction
- Shutter on back side (Outlet)
- Easily removable front for cleaning
- Easy installation for ceiling application
- Thermal protection for extra safety

Dimensions (mm)



Hole to Hole Distance
for Installation (mm)

Dimensions (mm)



Hole to Hole Distance
for Installation (mm)

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
100	2100	60	200

Model	Dimensions (mm)					Hole to Hole Distance (mm)	
	A	B	C	D	E	F	G
Smart Air Ceiling Mount 06 GR 100mm	252	216	42	149	128	227	227
Smart Air Ceiling Mount 05 100mm	256	216	42	149	128	227	227



For Environment &
Health Protection

SMART AIR

Ceiling Mount Ventilation Fan

NEW

HIGH AIR
DELIVERY

LOW NOISE



V04 GR

White
M332WH



V03



White
M4330WH

Features

- Super efficient motor for better suction
- Shutter on back side (Outlet)
- Exceptionally silent operation
- Easily removable front for cleaning
- Easy installation for ceiling application
- Thermal protection for extra safety

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
100	1350	35	150



Model	Dimensions (mm)					Hole to Hole Distance (mm)	
	A	B	C	D	E	F	G
Smart Air Ceiling Mount 04 GR 100mm	252	216	42	149	128	227	227
Smart Air Ceiling Mount 03 100mm	256	216	42	149	128	227	227



For Environment & Health Protection

SMART AIR

Ceiling Mount Ventilation Fan



02 GR

White
14175WH



01

White
14174WH


Features

- Super efficient motor for better suction
- Safety guard for both side
- Easily removable front for cleaning
- Easy installation for ceiling application

Specification


Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
100	1300	33	100

Dimensions (mm)



Hole to Hole Distance
for Installation (mm)

Dimensions (mm)



Hole to Hole Distance
for Installation (mm)

Model	Dimensions (mm)					Hole to Hole Distance (mm)	
	A	B	C	D	E	F	G
Smart Air Ceiling Mount 02 GR	256	202	44	149	128	232	232
Smart Air Ceiling Mount 01	256	202	44	149	128	232	232



For Environment &
Health Protection

ANMOL INLINE

Metal Exhaust Fan




Grey
14213GY

Features

- With stand high pressure
- Low noise levels
- Compact structure with stable performance
- Low vibration
- Take control of indoor air quality
- Unique designed bracket makes easy installation
- IP44 Protection class, waterproof and dustproof more effectively

Specification


Duct Size (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)	Static pressure (PA)	Noise Level (DB)
100	2350	55	300	290	60
125	2650	80	375	300	65
150	2400	92	800	320	69
160	2650	105	925	365	72
200	2350	135	1075	450	73
250	2350	135	1100	510	74



For Environment &
Health Protection

ANMOL

Metal Exhaust Fan



Metallic Grey
13159MGY

Features


- High performance motor with a compact design
- Safety guard for protection from foreign material

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
230	1350	40	500
300	1300	50	1250

Dimensions (mm)		
Model	A	B
Anmol 230	233 x 233	Ø288
Anmol 300	317 x 317	Ø373

Dimensions (mm)



For Environment &
Health Protection

ANMOL PLUS

Metal Exhaust Fan



Metallic Grey
14253MGY

Features


- Curvy frame design including flexible beading to damp vibration
- Circular front guard for protection from birds & foreign material
- Long lasting powder coated metallic finish
- Flexible beading to reduce vibration & noise

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
230	1350	35	500
300	1300	50	1250

Dimensions (mm)		
Model	A	B
Anmol Plus 230	230 x 230	Ø258
Anmol Plus 300	302x 302	Ø341

Dimensions (mm)




For Environment &
Health Protection

ANMOL HI-SPEED

Metal Exhaust Fan



Metallic Grey
12098



Metallic Grey
14984MGY

Features

- High performance motor with a compact design
- Safety guard for protection from foreign material

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
150	2600	40	500
230	2600	50	950
300	2100	92	1600

*4 Blades available in 150 mm.

*3 Blades available in 230 mm and 300 mm.

Dimensions (mm)		
Model	A	B
Anmol Hi-Speed 150mm	165 x 165	Ø202
Anmol Hi-Speed 230mm	233 x 233	Ø288
Anmol Hi-Speed 300mm	317 x 317	Ø373

Dimensions (mm)



For Environment &
Health Protection

ANMOL PLUS HS

Metal Exhaust Fan



Metallic Grey
14270MGY



Metallic Grey
14255MGY

Features

- Curvy frame design including flexible beading to damp vibration
- Circular front guard for protection from birds and foreign material
- Long lasting powder coated metallic finish
- Flexible beading to reduce vibration and noise

Specification


Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
150	2600	40	500
230	2650	50	950
300	2100	90	1600

*4 Blades available in 150 mm.

*3 Blades available in 230 mm and 300 mm.

Dimensions (mm)		
Model	A	B
Anmol Plus HS 150	160 x 160	Ø204
Anmol Plus HS 230	230 x 230	Ø258
Anmol Plus HS 300	302 x 302	Ø341


Dimensions (mm)



For Environment & Health Protection

ANMOL DELUXE

Metal Exhaust Fan



HIGH
SPEED

Metallic Grey
14028MGY

Features


- Front guard for protection from birds & foreign material
- Heavy duty motor with double ball bearing
- Long lasting powder coated metallic finish.

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
230	1350	40	750
300	1300	65	1750

Dimensions (mm)		
Model	A	B
Anmol Deluxe 230	233 x 233	Ø280
Anmol Deluxe 300	303x 303	Ø369

Dimensions (mm)



For Environment &
Health Protection


COMMERCIAL RANGE

It's choice you cannot resist your simple choice can attract the world

Not just homes, but offices, schools, retail outlets make an impression too. Their interiors and exteriors tell their story to the world in their own way. With this fact, it is absolutely necessary to style it in a manner that attracts the world. And so, our commercial range of fans are here to achieve this milestone. No matter what location it is, making it modern is our prime motto.

ANMOL HEAVY DUTY

Heavy Duty Exhaust Fan



Grey
14048GY


Features

- Durable epoxy powder coated finish
- Efficient heavy duty motor with double ball bearings
- Sturdy metal body with metal blades

Specification

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (CMH)
450	1400	410	6120
380	1400	160	3250
300	1400	90	1710

Dimensions (mm)



Size of Fan	H	X	D	S
Anmol Heavy Duty 450mm	11	455	480	450
Anmol Heavy Duty 380mm	11	375	400	380
Anmol Heavy Duty 300mm	11	313	320	300

IP55 Protection

IS 2312



CM/L-8300030094

www.bis.gov.in



For Environment &
Health Protection

PRODUCT DETAILS		STANDARD PACKAGING	SWEEP (MM)	SPEED (RPM)	POWER (W)	AIR DELIVERY (CMM)	STAR RATING
BLDC RANGE	IGNITE	1	1200	360	34	225	
	SKYCRAFT 1320	1	1320	260	38	250	
	SKYCRAFT 600	1	600	360	35	140	
	SKYCRAFT 815	1	815	380	31 (Only Fan)	175	
	ROSALYN LS	1	1200	360	34 (Only Fan)	225	
	ROSALYN DYNAMIC	1	1200	270	40	260	
	VIENNA	2	1200	330	30 (Only Fan)	210	
	TURIN	4	1200	350	33	220	
	INSPIRIO DECO LS	2	1200	360	33 (Only Fan)	225	
	INSPIRIO DECO	2	1200	360	33	225	
	INSPIRIO NEO	3	1200	350	30	220	
	ENERGYLINE ECO	4	1200	350	32	210	
PREMIUM RANGE	CYCLOVIBE	2	1200	350	50	225	
DECORATIVE RANGE	FRIGATE	2	1200	350	50	225	
	PRIMERA	4	1200	370	50	225	
	PRIMERA 900	4	900	440	36	130	
STANDARD RANGE	ALTRIX	4	1200	370	46	210	
	ALTRIX 900	4	900	440	36	130	
	ALTRIX 600	4	600	810	57	115	
ECO-DECO RANGE	CYCLOAIR	2	1200	380	47	215	
	HAGEN	4	1200	350	48	220	
	CROATIA 1200	4	1200	370	48	220	
	CROATIA 900	4	900	440	36	130	
	FLATODECO	4	1200	380	46	210	

	PRODUCT DETAILS	STANDARD PACKAGING	SWEEP (MM)	SPEED (RPM)	POWER (W)	AIR DELIVERY (CMM)	STAR RATING
ECO-DECO RANGE	COOLER DECO	4	1200	380	46	210	
	CYMOSE	4	600	800	52	105	
ECONOMY RANGE	COOLKING 1400	4	1400	310	55	250	
	COOLKING	4	1200	370	46	210	
	COOLKING 900	4	900	440	36	130	
	COOLER	4	1200	370	46	210	
	COOLER 900	4	900	440	36	130	
	VELOSPIN	4	1200	370	46	210	
		PRODUCT DETAILS	STANDARD PACKAGING	SWEEP (MM)	SPEED (RPM)	POWER (W)	AIR DELIVERY
TPW RANGE	TABLE FAN	ALTRIX HS+	1	400	2200	115	90 (CMM)
	PEDESTAL FAN	ALTRIX HS+	1	400	2200	115	90 (CMM)
	WALL FAN	ALTRIX HS+	1	400	2200	115	90 (CMM)
	WALL FAN	ALTRIX HS+	1	300	2400	75	65 (CMM)
	TABLE FAN	ANMOL HS	1	400	2200	115	90 (CMM)
	PEDESTAL FAN	ANMOL HS	1	400	2200	115	90 (CMM)
	WALL FAN	ANMOL HS	1	400	2200	115	90 (CMM)
	WALL FAN	ANMOL HS	1	300	2000	80	65 (CMM)
	TABLE FAN	XL NEO	1	400	1350	65	70 (CMM)
	PEDESTAL FAN	XL NEO	1	400	1350	65	70 (CMM)
	WALL FAN	XL NEO	1	400	1350	65	70 (CMM)
	TABLE FAN	PENTA TURBO PRIME	1	400	1350	65	70 (CMM)
	PEDESTAL FAN	PENTA TURBO PRIME	1	400	1350	65	70 (CMM)
	TABLE FAN	FLORA NEO+	1	400	1300	55	70 (CMM)
	PEDESTAL FAN	FLORA NEO+	1	400	1300	55	70 (CMM)

		PRODUCT DETAILS	STANDARD PACKAGING	SWEEP (MM)	SPEED (RPM)	POWER (W)	AIR DELIVERY
TPW RANGE	WALL FAN	FLORA NEO+	1	400	1300	55	70 (CMM)
	WALL FAN	PRONTO PLUS	1	450	1400	98	100 (CMM)
	PEDESTAL FAN	PRONTO PLUS	1	450	1400	98	100 (CMM)
	PEDESTAL FAN	PRONTO MK II	1	400	2350	110	100 (CMM)
	FARRATA	FARRATA FP-03 OSCILLATION	1	500	1400	140	120 (CMM)
	FARRATA	FARRATA FP-03	2	500	1400	140	120 (CMM)
MULTI-PURPOSE RANGE	PERSONAL FAN	ALL PURPOSE AP 01	4	300	2300	70	50 (CMM)
		OPTIO	4	300	2300	70	61 (CMM)
		OPTIO MINI	4	230	2500	50	30 (CMM)
		MINEO	4	230	2600	45	25 (CMM)
VENTILATION RANGE	PIPE VENTILATION	PANASONIC FV - 10EGD2	1	111 (DUCT DIA)	2680	4.6	82 (CMH)
		PANASONIC FV - 15EGD2	1	155 (DUCT DIA)	2250	6	170 (CMH)
	CEILING MOUNT	PANASONIC FV - 17CU9	1	100 (DUCT DIA)	-	8.5	85 (CMH)
		PANASONIC FV - 24CU9	1	100 (DUCT DIA)	-	11	150 (CMH)
		PANASONIC FV - 24CH9	1	100 (DUCT DIA)	-	18	210 (CMH)
		AIR E - FV15CSD1	1	145 (DUCT DIA)	-	4	16 (CMH)
VENTILATION RANGE	PLASTIC VENTILATION	SMART AIR HIGH SPEED	6	150	2500	40	500 (CMH)
			4	200	2100	65	765 (CMH)
		SMART AIR	6	150	1350	32	300 (CMH)
			4	200	1300	35	550 (CMH)
			4	250	1250	37	750 (CMH)
			4	300	1150	45	1200 (CMH)
		SMART AIR COMPACT FIT	6	150	1350	32	300(CMH)
		SMART AIR GR	4	200	1300	35	550 (CMH)

		PRODUCT DETAILS	STANDARD PACKAGING	SWEEP (MM)	SPEED (RPM)	POWER (W)	AIR DELIVERY
	PIPE VENTILATION	SMART AIR V-05	12	100	2500	18	90 (CMH)
			8	150	1850	24	250 (CMH)
			8	200	2000	25	350 (CMH)
		SMART AIR V-04	6	150	2300	26	240 (CMH)
		SMART AIR V-03	8	150	2300	24	240 (CMH)
		SMART AIR V-02	6	150	2100	25	240 (CMH)
		SMART AIR V-01	12	100	2600	18	70 (CMH)
			8	150	2300	24	240 (CMH)
VENTILATION RANGE	CEILING MOUNT	SMART AIR CEILING MOUNT 06 GR	4	100 (Duct Dia)	2100	60	200 (CMH)
		SMART AIR CEILING MOUNT 05	4	100 (Duct Dia)	2100	60	200 (CMH)
		SMART AIR CEILING MOUNT 04 GR	4	100 (Duct Dia)	1350	35	150 (CMH)
		SMART AIR CEILING MOUNT 03	4	100 (Duct Dia)	1350	35	150 (CMH)
		SMART AIR CEILING MOUNT 02 GR	4	100 (Duct Dia)	1300	33	100 (CMH)
		SMART AIR CEILING MOUNT 01	4	100 (Duct Dia)	1300	33	100 (CMH)
	METAL EXHAUST FAN	ANMOL INLINE	1	100	2350	55	300 (CMH)
			1	125	2650	80	375 (CMH)
			1	150	2400	92	800 (CMH)
			1	160	2650	105	925 (CMH)
			1	200	2350	135	1075 (CMH)
			1	250	2350	135	1100 (CMH)
		ANMOL	4	230	1350	40	500 (CMH)
			4	300	1300	50	1250 (CMH)
		ANMOL PLUS	4	230	1350	35	500 (CMH)
			4	300	1300	50	1250 (CMH)

		PRODUCT DETAILS	STANDARD PACKAGING	SWEEP (MM)	SPEED (RPM)	POWER (W)	AIR DELIVERY
VENTILATION RANGE	METAL EXHAUST FAN	ANMOL HI-SPEED	6	150	2600	40	500 (CMH)
			4	230	2600	50	950 (CMH)
			4	300	2100	92	1600 (CMH)
		ANMOL PLUS HS	4	150	2600	40	500 (CMH)
			4	230	2650	50	950 (CMH)
			4	300	2100	90	1600 (CMH)
		ANMOL DELUXE	4	230	1350	40	750 (CMH)
			4	300	1300	65	1750 (CMH)
COMMERCIAL RANGE	HEAVY DUTY METAL EXHAUST FAN	ANMOL HEAVY DUTY	2	300	1400	90	1710 (CMH)
			2	380	1400	160	3250 (CMH)
			2	450	1400	410	6120 (CMH)