


Hum
Price nahi - Bharosa
bechte hey
Hum watt nahi - Lumen
bechte hey

India mein chalne
wali light
aur
lab mein chalne wali light
alag hoti hai

Hum Strong hai
kyuki;
hum khud
design aur manufacture
karte hain.



Quick View Catalogue - 2026 - 1

About Us

Crescent Lighting is India's vertically integrated LED lighting manufacturing company with an extremely strong national presence, thanks to our philosophy of Made in India, extensive distribution network and world class quality.

Truly Indigenous – Making it In India, Taking it to the Nation

- Self sufficient and well-equipped advanced technology with 4 manufacturing units in Surat and Mumbai
- 18 years of experience in lighting industry
- Monthly 4 Lac. manufacturing capacity of finished product
- 15 innovative products launch every year

Our Mission

We as Crescent have a mission to develop India's largest network of happy and satisfied channel partners & to ensure our presence in all the 19101 pin codes by the end of 2030. Making Crescent as a largest distribution company in the segment of LED Lighting.



Our Vision

To create a 100% indigenous LED lighting manufacturing company, with all its vertical of design, development and manufacturing process in one single umbrella.



Our Strengths

- In-House Manufacturing – Complete control over quality.
- Patented Designs – Unique and efficient product innovations.
- Smart & Sustainable – Energy-efficient and eco-friendly lighting.
- Pan-India Distribution – Strong supply chain and customer reach.



SMPS Comparison

CRESCENT
LIGHTING
Designed, Developed & Manufactured
in India for Indian Conditions

More Than
95%
Efficiency



VS

Others

(Imported or assembled
in India)

Less Than
49%
Efficiency



Performance Comparison Table

After	CRESCENT	Others	CRESCENT	Others	CRESCENT	Others
	5A	5A	10A	10A	20A	33A
0 Hour	5A	4A	9.98A	8.6A	20A	18A
1 Hour	4.95A	3.25A	9.70A	6A	19.50A	16A
2 Hours	4.85A	3.10A	9.62A	5.20A	19.30A	12.90A
3 Hours	4.80A	2.80A	9.41A	5.10A	18.98A	12.20A
4 Hours	4.75A	2.45A	9.50A	4.90A	18.98A	12.20A
Efficiency After 4 Hours	95%	49%	95%	49%	95%	37%

DOB vs Driver-Based LED Lighting

Product Performance Comparison

Others

DOB Products



CRESCENT
LIGHTING

Driver Based Product



Specs	DOB	Driver-Based
No. of LEDs	48 LED	120 LED
Wattage	140vac → 5w 240vac → 15w Wattage varies with voltage	140vac → 15w 240vac → 15w Steady wattage
Malfunctioning / Flickering	Flicker at low voltage	Do not flicker at low voltage
Lumens	Lower light output (30% lesser Lumens)	Higher, consistent light (30% Higher Lumens)
Temperature	High heat on PCB	Better heat control
Light Distribution	Bright-spots, thick diffuser	Uniform light output
Life Span	Shorter life due to high heat	Longer life due to better heat control

Temperature Reading in °C

Time (Hours)	DOB	Driver Based
1	100.5	75.8
2	103.8	77.5
3	105.8	78.9
4	105.9	78.8

Backlit Panel



3K
4K
3 Step 6K

Model	CRD50 (SQ, RO)				
Variant	6W	12W	18W	24W	30W

AQUA Backlit Panel



3K
4K
3 Step 6K

Model	CRD50/B (SQ, RO)					
Variant	8W	12W	15W	18W	22W	24W

GALAXY
LED Deep Recess Down Light



3K
4K
3 Step 6K

Model	CRD150 (RO)		
Variant	12W	18W	24W

UNIVERSE
LED Deep Recess Down Light



3K
4K
3 Step 6K

Model	CRD160 (SQ, RO) (BK, PKW)		
Variant	8W	15W	22W

ORBIT
LED Deep Recess Down Light



3K
4K
5K
6K

Model	CRD170 (RO) (BK, PKW)			
Variant	12W	18W	24W	36W

ORBIT SHINE
LED Deep Recess Down Light



3K
4K
5K
6K

Model	CRD200 (RO) (BK + RG, GBK) (PKW + RG, GBK)			
Variant	7W	12W	18W	24W

GRAVITY
LED Surface Backlit Down Light



3K
4K
6K

Model	CRD180 (RO) (BK, PKW)			
Variant	7W	12W	18W	24W


EARTH
Rimless Surface Panel



3K
4K
6K

Model	CRD190 (SQ, RO)			
Variant	6W	10W	15W	20W

PLASMA
LED Flat Down Light



3K
4K
5K
6K

Model	CRD120 (SQ, RO)			
Variant	7W	16W	24W	32W


OXYGEN+
Backlit Panel Polycarbonate



3K
4K
5K
3 Step 6K

Model	CRD260 (PKW)			
Variant	8W	12W	15W	22W

OXYGEN+
Surface Ring Polycarbonate



3K
4K
5K
3 Step 6K


Model	CRD260 (PKW)			
Variant	8W	12W	15W	22W

OXYGEN+FB
Backlit Panel Polycarbonate



3K
4K
5K
3 Step 6K

Model	CRD260/FB (PKW)			
Variant	12W			



Wi-fi / Bluetooth Smart Lighting options available.

BRAHMASTRA
Backlit Panel Polycarbonate

120 Lm/W

NEW



Model CRD280 (SQ, RO) (PKW)

Variant 10W 15W 22W

3K 4K 5K 6K

OXYGEN
Inverter Panel - Polycarbonate

NEW



Model CRD270 (PKW) (SQ, RO)

Variant 15W

3K 4K 5K 6K

4 HOURS BACKUP

SIGMA PREMIUM
Edgelit Panel



Model SG110/A (SQ, RO)

Variant 3W 6W 12W 15W 18W 24W

3K 4K 6K

SIGMA PREMIUM
Surface Panel



Model SG210/A (SQ, RO)

Variant 6W 12W 15W 18W

3K 4K 6K

SUDARSHAN
Rimless Recess Panel



Model SG810/A (SQ, RO)

Variant 6W 12W 15W 18W

3K 4K 6K

SUDARSHAN
Rimless Surface Panel




Model SG910 (SQ, RO)

Variant 6W 12W 15W 18W

3K 4K 6K

Two Color Step Panel



Model SG510 (SQ, RO)

Variant 4W 6W 12W 18W

3K 4K 6K

Surface Two Color Step Panel



Model SG610 (SQ, RO)

Variant 6W 12W 18W

3K 4K 6K

Slim Backlit Panel 2 x 2



Model CRM20/A

Variant 36W 48W

3K 4K 6K


CRM20 Surface Frame



Model CRM20 - Surface

Variant 595x595x50 595x595x65

Recess Backlit Panel



Model CRM10

Variant 15W (1x1) 20W (1x2) 36W (2x2) 48W (2x2) 36W (1x4) 48W (1x4)

3K 4K 6K



Surface Backlit Panel 2 x 2



Model CRM10/B

Variant 36W 48W

3K 4K 6K

Clean Room Light Bottom Opening

IP65



Model CRM40/A - MS Frame

Variant 45W 60W

3K 4K 6K

Clean Room Light Bottom Opening

IP65



Model CRM40/B - SS Frame

Variant 45W 60W

3K 4K 6K

GLORY
LED Ceiling Light



Model CRCL10

Variant 10W 15W 22W

3K 4K 6K

MOON
LED Ceiling Light



Model CRCL20

Variant 18W

3K 4K 6K

Wi-fi / Bluetooth Smart Lighting options available.


IGNIS*
LED Junction Down Light



Model: CRC240/A

Variant: 3W, 6W, 12W

Color Temperature: 3K, 4K, 6K, RD, GR, BL, PK, IB



PLUTO
LED Junction Down Light



Model: CRC40

Variant: 3W, 5W, 6W, 7W

Color Temperature: 3K, 4K, 6K, IB, RD, GR, BL, PK

SWIFT*
LED Junction Down Light



Model: CRC130/A

Variant: 6W

Color Temperature: 3K, 4K, 6K, PL, IB, RD, GR, BL, PK

PRITHVI
LED Junction Down Light



Model: CRC140

Variant: 6W, 12W

Color Temperature: 3K, 4K, 6K, RD, GR, BL, IB, PK

PRITHVI
LED Junction Down Light



Model: CRC140 - 2 Step

Variant: 6W, 12W

Color Temperature: 3K, 4K, 6K, RD, GR, BL, IB, PK



DENIM
COB Spot Light



Model: CRC10/B

Variant: 8W, 10W, 12W, 15W, 18W, 20W, 24W, 30W, 36W, 40W

Color Temperature: 3K, 4K, 5K, 6K

DENIM
COB Spot Light



Model: CRC10/B with CCT Selector Switch

Variant: 8W, 10W, 15W, 20W

Color Temperature: 3K

LINEN
COB Spot Light



Model: CRC150 (BK, PKW)

Variant: 3W, 6W, 10W, 15W, 20W, 24W, 30W, 36W, 45W

Color Temperature: 3K, 4K, 5K, 6K

LINEN
COB Spot Light



Model: CRC150 (BK, PKW) with CCT Selector Switch

Variant: 6W, 10W, 15W, 20W

Color Temperature: 3K

SILK
COB Spot Light



Model: CRC20/A (BK + SN, SG, RG, SB, GBK) (PKW + SN, SG, RG, SW, GBK)

Variant: 3W, 10W, 15W, 20W

Color Temperature: 3K, 4K, 6K

COTTON*
COB Spot Light



Model: CRC20/B (BK, PKW)

Variant: 6W, 10W, 15W

Color Temperature: 3K, 4K, 5K, 6K

COTTON*
COB Spot Light




Model: CRC20/B (BK, PKW) with CCT Selector Switch

Variant: 6W, 10W, 15W

Color Temperature: 3K

STRENGTH
COB Spot Light



Model: CRC190 (BK, PKW, RG, GBK)

Variant: 10W, 15W, 20W

Color Temperature: 3K, 4K, 5K, 6K

Wi-fi / Bluetooth Smart Lighting options available.

COURAGE
COB Spot Light



3K
4K
5K
6K

Model	CRC200 (BK + RG, GBK) (PKW + RG, GBK)		
Variant	8W	12W	18W

WISDOM
COB Spot Light



3K
4K
5K
6K

Model	CRC210/A (BK + SGD, GBK) (PKW + SGD, GBK)			
Variant	7W	12W	20W	30W

HONOR
COB Spot Light



3K
4K
5K
6K

Model	CRC230 (BK, PKW)		
Variant	10W	15W	20W

SATIN
COB Spot Light



3K
4K
5K
6K

Model	CRC110 (PKW, GREY)		
Variant	6W	12W	20W

Zoom COB Light



3K
4K
6K

Model	CRC10/Z (Round)	
Variant	30W	

Zoom COB Light



3K
4K
6K

Model	CRC20/Z (Round)					
Variant	12W	18W	24W	30W	36W	40W

Fix COB Light - For Cabinet



3K
4K
6K
RD
GR
BL
PK

Model	CRC60/A (SQ, RO)	
Variant	1W	3W

COB Spot Light



6K

Model	CRP30	
Variant	3W	



CRYSTAL
COB Spot Light



3K
4K
6K

Model	CRG20/D (PKW, BK, RG)	
Variant	3W	6W

CORAL
COB Spot Light



3K
4K
6K

Model	CRC260 (PKW, BK, RG)	
Variant	3W	

Surface Cabinet Light



3K
4K
6K

Model	CRC60/C (SQ)	CRC60/C (RO)
Variant	3W	3W 6W 12W

Surface COB Light



3K
4K
6K

Model	CRC60/D		
Variant	3W	5W	7W

Surface COB Light



3K
4K
6K

Model	CRC60/E (BK, PKW)	
Variant	3W	5W

FREEDOM
Surface COB Cylinder



3K
4K
6K

Model	CRG80SF (BK, PKW)			
Variant	6W	12W	16W	20W



D.O.B. Product.



Wi-fi / Bluetooth Smart Lighting options available.

BELIEF
Surface COB Cylinder with Lens

IP20



3K
4K
6K

Model	CRC1705F (BK + GBK, RG) (PKW + GBK, RG)		
Variant	7W	12W	18W

HOPE
Surface COB Cylinder

IP20



3K
4K
6K

Model	CRC1805F (BK + GBK, RG) (PKW + GBK, RG)		
Variant	7W	12W	18W

FAITH
Adjustable Surface COB Cylinder

IP20



360° Rotatable
90° Tiltable

3K
4K
6K

Model	CRC220 (PKW + GBK, RG) (BK + GBK, RG)		
Variant	7W	12W	18W

AMBITION
Surface COB Cylinder

NEW



3K
4K
6K

Model	CRC250 (MGB)			
Variant	5W	10W	15W	20W

GRILLE+
LED Spot Light



3K
4K
6K

Model	CRC30/A			
Variant	2.5W	2.5W x 2	2.5W x 3	2.5W x 5
	2.5W x 10	6W	6W x 3	6W x 5

GRILLE
LED Spot Light



3K
4K
6K

Model	CRC30/B (PKW + PKW, PKW + BK, BK + BK)				
Variant	2W	2W x 2	2W x 3	2W x 5	2W x 10

GRILLE
LED Spot Light



3K
4K
6K

Model	CRC30/C (PKW + PKW, PKW + BK, BK + BK)		
Variant	2W x 4	2W x 7	2W x 12

GRILLE
LED Spot Light



3K
4K
6K

Model	CRC30/D (PKW + PKW, PKW + BK, BK + BK)		
Variant	2W x 4	2W x 7	2W x 12



Slim Wall Light



3K
4K
5K
6K

Model	CRG70/SF (BK / PKW)				
Variant	3W	6W	10W	20W	30W

Slim Track Light

NEW



3K
4K
5K
6K

Model	CRG70 (Lens / Reflector) (BK / PKW)				
Variant	10W	20W	30W	50W (Reflector)	

LASER
Smart Slim Track Light



Model
 CSG80 (with Lens) | || Variant | 20W | 30W |

Track Light



3K
4K
6K

Model	CRTR30 (BK, PKW)	
Variant	30W	

Track Line - Aluminium



(BK) (PKW)

Model	CTL0001 - Aluminium	
Variant	1 Mtr.	

Track Line Connector



(PKW) (BK)

Model	CTC0001	CTC0002	CTC0004
Variant	L WAY	2 WAY	4 WAY

Track Line - Polycarbonate

NEW



(BK) (PKW)

Model	CTL0001 - Polycarbonate	
Variant	1 Mtr.	2 Mtr.

LED Bulkhead

IP65



3K
4K
6K
RD
GR
BL
PK

Model	CRW30	
Variant	10W	15W

LED Weather Proof Light

IP65



3K
4K
6K

Model	CRW10	
Variant	20W	40W

Wi-fi / Bluetooth Smart Lighting options available.



AGNI LED Flood Light

IP66

3K 4K 6K RD GR AM BL

Model CRF60

Variant 30W 50W 60W 100W 120W 150W

AGNI PREMIUM LED Flood Light

IP66

3K 4K 6K RD GR AM BL

Model CRF60/A

Variant 30W 50W 100W 150W 200W 220W 250W

AGNI PREMIUM LED Flood Light

IP66

3K 4K 6K RD GR AM BL

Model CRF60/A (RGB with Remote)

Variant 30W 50W

AGNI LED Flood Light - Lens

IP66

3K 4K 6K

Model CRF60 (Lens)

Variant 60W 120W 220W 250W

TUCSON+ LED Flood Light

IP65

3K 4K 6K

Model CRF80/A - 2835 LED

Variant 30W 50W 100W 150W 200W 250W

TUCSON+ LED Flood Light - Lens

IP65

3K 4K 6K

Model CRF80/A - 5050 LED (Lens)

Variant 50W 100W 150W 200W

RAW Polycarbonate LED Flood Light

IP66

3K 4K 6K RD GR BL

Model CRF90

Variant 15W 30W 60W

LED Flood Light

IP65

3K 4K 6K RD GR BL

Model CRF50

Variant 150W 200W 250W 300W 350W 400W 600W

Modular Flood Light

IP66

3K 4K 6K

Model CRI12-MFL - 5050 LED (Lens)

Variant 100W 200W 300W 400W 500W 600W 800W 1000W

Modular Flood Light

IP66

3K 4K 6K

Model CRI14-MFL - 5050 LED (Lens)

Variant 50W 100W 150W

LED Module Light - Lens

IP65

3K 4K 6K

Model CRI11-ML-2835 (Lens) CRI11-ML-5050 (Lens)

Variant 50W 60W

LED Par-Light with Lens

IP65

3K 4K 6K

Model CRU05 (RGB with Remote)

Variant 40W

Service On-Site or at CP Point

BULLET LED Street Light

IP65

3K
4K
6K

Model	CRS50 (Reflector)					
Variant	18W	24W	30W	36W	45W	50W
	60W	72W	90W	120W	150W	200W

BULLET LED Street Light

IP65

3K
4K
6K

Model	CRS50 (Lens + Reflector)				
Variant	18W	30W	36W	50W	60W
	72W	90W	120W	150W	200W

AGNI PREMIUM LED Street Light

IP66

NEW

3K
4K
6K

Model	CRS80/A			
Variant	30W	36W	45W	60W

AGNI PREMIUM LED Street Light - Lens

IP66

NEW

3K
4K
6K

Model	CRS80/A (Lens)			
Variant	30W	36W	45W	60W

RAW Polycarbonate LED Street Light

IP66

NEW

PATENTED

3K
4K
6K

Model	CRS70					
Variant	12W 12V-DC	15W	20W	30W	50W	60W

DESIRE LED Street Light

IP66

3K
4K
6K

Model	CRS100	
Variant	72W	90W

Wall Bracket

Part (A)
Part (C) (Ø45mm)

Model CRS20 (A + C)

Variant Adjustable Mounting Bracket

LED Highbay Light

IP65

NEW

3K
4K
6K

Model	CRU05				
Variant	40W	60W	80W	100W	200W

LED Well Glass

IP65

NEW

3K
4K
6K

Model	CRW01	
Variant	40W	60W


RAW Polycarbonate LED Highbay Light

IP66

PATENTED

3K
4K
6K

Model	CRU70	
Variant	50W	



Service On-Site or at CP Point

Mirror Light



3K
6K

Model	CRP10	
Variant	6W	12W

Mirror Light



3K
6K

Model	CRP20	
Variant	6W	12W



AURA
Mirror Light



3 Step

Model	CRP40	
Variant	6W	12W

PRISM
Mirror Light



3 Step

Model	CRP50 (3 Color) (GD, WD, CP)	
Variant	12W	

Picture Light



3K
6K

Model	CRP30	
Variant	3W	5W

ARROW
Wardrobe Light



3K
4K
6K

Model	CWL10		
Variant	6W	12W	18W



Up-Down Light



IP65
3K
4K


Model	CRG30/A	
Variant	3W	2 x 3W

Up-Down Light



IP65
3K
4K
6K

Model	CRG30/C (BK, PKW)		
Variant	5W	2 x 5W	2 x 9W



Up-Down Light



IP65
3K

Model	CRG30/F	
Variant	2 x 5W	2 x 9W

Wall Light



IP54
3K

Model	CRG90/B	
Variant	8W	



Up-Down Light IP54

3K

Model	CRG60/A	CRG60/B	CRG60/C	CRG60/D
Variant	2 x 1W	4 x 1W	6 x 1W	8 x 1W

Wall Light (4 Way) IP65

3K
4K

Model	CRG40/B
Variant	12W

Wall Light (4 Way) IP65

3K
4K

Model	CRG40/CM
Variant	4 x 1W

Wall Light (4 Way) IP65

3K
4K

Model	CRG40 & CRG40M
Variant	12W

SUNFLOWER
Garden Light IP65

3K
6K
GR
BL

(5W, 9W | 6W, 12W - RGB) (12W)

Model	CRG20
Variant	5W 9W 12W 6W 12W

MAPLE
Garden Light IP65 **NEW**

3K

Model	CRG100
Variant	5W 7W 12W

MUSHROOM
Garden Light IP65 **NEW**

3K

Model	CRG110
Variant	3W 10W

Bollard IP65

3K
4K
6K

Model	CGL0050/A
Variant	10W



ORCHID
LED Corrugated Light (with Lens) IP65

3K

Model	CRO10
Variant	3W - 24VDC 6W - 24VDC

TULIP
LED Corrugated Light (with Lens) IP65

3K

Model	CRO20
Variant	6W - 24VDC

LOTUS
LED Tree Hugging Light (with Lens) IP65

3K

Model	CRO30
Variant	12W - 24VDC

Wall Washer Light IP65 **NEW**

3K
4K
6K

Model	CRO40
Variant	30W - 24VDC

Note: 12VDC / 24VDC power supply to be ordered separately.



Service On-Site or at CP Point

Indoor Foot Light

IP IP20

3K
6K


Model	CRG50/A (SQ, RD)
Variant	3W

Indoor Foot Light

IP IP20

3K
6K

Model	CRG50/D (SQ, RD) (PKW, BK)
Variant	3W



Foot Light

IP IP65

3K
6K

Model	CRG50/B
Variant	2W 3W 5W

Foot Light

IP IP65

3K
6K

Model	CRG50/C
Variant	3W

TAURUS

Gate Light

IP IP65 NEW

3 Step

Model	CRGL20
Variant	20W

LEO

Gate Light

IP IP65 NEW

3 Step

Model	CRGL40
Variant	B22 Lamp Holder

LIBRA

Gate Light

IP IP54 NEW

3 Step

Model	CRGL50/A - Diffuser
Variant	15W

LIBRA

Gate Light

IP IP54 NEW

3K

Model	CRGL50/B - Reflector
Variant	20W



SCORPIO

Gate Light

IP IP65 NEW

3K + BL

Model	CRGL60
Variant	20W

CAPRICORN

Gate Light

IP IP65 NEW

3 Step

Model	CRGL70
Variant	20W

MASHAL

LED Post Top Lamp

IP IP65

3K
4K
6K

Model	CPT0010/A
Variant	40W

JWALA

LED Post Top Lamp

IP IP65

3K
4K
6K

Model	CPT0010/B
Variant	40W

DIYA

LED Post Top Lamp

IP IP66 NEW

3K
4K
6K

Model	CPT0010/C
Variant	100W



Service On-Site or at CP Point

Driver



Model	Driver
Variant	For More Details See Separate Driver Catalogue

Smart Motion Sensor Driver



Model	Panel	COB
Variant	12W 15W 18W	12W 18W

Smart Strip Controller



Model	CSS - 12V 24V
Variant	B&D B&D + W&C B&D + C B&D + C&D

Surge Protection Device



Model	SPD Kit	SPD Kit (Potted)
Variant	5 KV 10 KV 20 KV	5 KV 10 KV



SMD Rope



Model	CSR2835 - 120 LED/Mtr.
Variant	25 Mtr. 50 Mtr. 100 Mtr.

SMD Rope



Model	CSR5050 - 60 LED/Mtr.
Variant	50 Mtr.

SMD Tiranga Rope



Model	CSR2835 - 120 LED/Mtr.
Variant	18 Mtr.


Rope Controller



Model	SRC0003
Variant	RGB Rope Controller with Remote




Suspended Profile Light Linear




Model	CSLP35 (BK, PKW)
Variant	14W 20W 28W 40W 42W 56W 80W 70W 100W

Suspended Profile Light Linear




Model	CSLP54 (BK, PKW)
Variant	14W 20W 28W 40W 42W 60W 56W 80W 70W 100W

Suspended Profile Light Connectors



Model	CSLPC (BK, PKW)
Variant	V & L Shape Y Shape
Variant	14W 20W 20W 30W

Suspended Profile Light Linear



Model	CSLP50 (BK, PKW)
Variant	14W 20W 28W 40W 42W 60W 56W 80W 70W 100W

Suspended Profile Light Round



Model	CSRP (BK, PKW)
Variant	20W 48W 40W 72W 96W

Wi-fi / Bluetooth Smart Lighting options available.

Aluminium Profiles




Model Aluminium Profiles

Variant For more details See Separate Profile Catalogue

Silicon Profile Surface

- Light emitting surface
- Silicone Profile Body
- Traction/ Pull Groove
- Strings for pulling LED strip



Silicon Profiles



Model Silicon Profiles

Variant For more details See Separate Profile Catalogue

Silicon Profile Recess

- Light emitting surface
- Silicone Profile Body
- Groove for LED Strip & Profile
- LED Strip



Wardrobe Profile



Model WDP0001

Variant For more details See Separate Profile Catalogue

LED Strip



Model CLS2835

Variant 12V 24V
60L 120L 180L 240L 240L

LED Strip



Model CLS5050 - 12V

Variant 60 LED

COB Strip



Model CCS620

Variant 10W / mtr.

Smart LED Strip



Model CSA10 - 24V

Variant 240L (WH + WW) 90L (RGBWW)

Strip Controller



Model CSC0001

Variant RGB LED Strip Controller with Remote

SLIM+ SMPS



Model 12V 24V

Variant 2A 3A 5A 6.5A 8.5A 2.5A 5A
10A 12.5A 16.5A 20A 7.5A 10A

ULTRA SLIM SMPS



Model 12V 24V

Variant 2A 3A 5A 1A



Note: 12VDC / 24VDC power supply to be ordered separately.



Wi-fi / Bluetooth Smart Lighting options available.

Smart Sensor		Smart Sensor		Smart Sensor		Smart Sensor	
							
Model	CMS-M5	Model	CMS-M2	Model	CMS-M6	Model	CMS-M7
Variant	Daylight Sensor	Variant	Microwave Motion Sensor	Variant	Microwave Motion Sensor	Variant	IR Wardrobe Sensor

IR Blaster		Smart Gateway		Smart Switch		Smart Remote	
							
Model	CSA20	Model	CSA60-BT-GT	Model	CSA60-BT-RPS	Model	CSA60-BT-RC
Variant	Universal Remote	Variant	Smart Gateway	Variant	Smart Switch	Variant	Smart Remote

Smart Lighting Feature




White Tunable

Tune light between Cool White & Warm White to create ambience as per the moment.



Dimmable & Energy Saving

Save more energy by adjusting brightness of lights between 100% to 10% as per your need.



Wi-Fi & Bluetooth Control

Operate lights via remote control (Bluetooth) or from anywhere using a mobile app (Wi-Fi).




Choose from over 1 million colours

Choose from any hue in the rainbow and change the colour of your CRESCENT SMART lights within seconds.

Common Terms Used in LED Lighting Industry

CCT - Correlated Color Temperature:

CCT (Correlated Color Temperature) indicates the color tone of light in Kelvin (K). Warm light (2700K-3000K) suits cozy spaces, neutral white (4000K-5000K) is ideal for indoor use, and cool daylight (5700K-6500K) works best for outdoor and industrial applications.



CRI - Color Rendering Index:

CRI (Color Rendering Index) shows how accurately a light source displays true object colors, rated from 0-100. Higher CRI means better color clarity. CRI 80+ is suitable for general lighting, while CRI 90+ is ideal for spaces needing high color precision like retail, healthcare, and studios.



Smart Lights with Dimming & Tuning Option 	Smart Strip with Dimming & 1M Color Tuning Option 	Crescent Smart App Available on 	Voice Command Through 	App Control Using 
---	--	--	--	--



Wi-fi / Bluetooth Smart Lighting options available. **Wi-Fi:** Mode of Connectivity 2.4GHz Wi-Fi. **Bluetooth:** Mode of connectivity Bluetooth.

OUR USPs

**10%
HIGHER
LUMEN
OUTPUT**

**LESS THAN
1%
REPLACEMENT**

**SUPERIOR
HEAT
TRANSFER
TECHNOLOGY**

**EXTENDED
PRODUCT
LIFE
SPAN**

**NO
DOBs**

**INDIA'S
LARGEST
VERTICALLY
INTEGRATED
LED LIGHTING
COMPANY**

**VALUE
FOR
MONEY
PRODUCTS**



Get Connected

*Milke
Jitenge* 

CRESCENT[®]
LIGHTING

CRESCENT
SMART 

Wi-Fi | Bluetooth

MADE IN INDIA

AGNI 

CRESCENT OPTO PVT. LTD.

Customer Care : +91 95124 00080

Email : customercare@crescentlighting.in

Scan now to follow us

