



Leading in
LED LIGHTING
FEB-2026



PRODUCT PORTFOLIO

www.listerled.com



ABOUT US

Adsun Lighting Pvt. Ltd. is a leading manufacturer of an extensive range of LED LIGHT with smart features, our expertise goes far beyond, enabling us to support the product through every stage of design, development, manufacture, and delivery. Through our innovative and intuitive technology, we're pioneering a manufacturing evolution by making the process easier and faster. From imperative and strong R&D capability to in-house manufacturing and wholesale and distribution, Adsun has become the best partner providing quality design and manufacturing services to top-notched brands worldwide. All our products are competitive enough and are complete value for money. **"Quality is what we focus on,"** and with this motto, we tend to expand our horizons and capture the market by designing and building intelligent products and manufacture with sustainability in mind. The company continues to seek innovation to stay ahead of the fast moving technology industry and with a higher rate of customer satisfaction, Adsun promises to accomplish many more milestones in the near future.

INFRASTRUCTURE

- Total operational area of 50000 square feet long.
- Facilities for employees – Apart from salary, ESIC, Canteen.
- Easy access to the manufacturing unit.
- The unit is established within the industrial area adhering to guidelines by governing authorities.
- Newly built structure.
- Proper water and electricity supply.

MISSION & VISION

At Adsun, we are committed to being real leaders. We are passionate about investing in technology as well as our customers by offering a range of extra services designed specifically around our clients' needs. With our innovative ideas and deep industry knowledge, we aim to take Adsun to new heights.





SET-UP WE HAVE

- Pressure Die Casting
- Injection Moulding
- Powder Coating Section
- LED Driver Unit
- Packaging Unit

- BUFFING & DRILLING SET-UP
- PRE-TREATMENT
- SMT SECTION
- MI SECTION
- CNC ROUTER
- ASSEMBLING SECTION
- IQC | PQC | OQC
- R & D AND PDI SET-UP



MANUFACTURE

FROM CONCEPT TO MANUFACTURE, ALL UNDER ONE ROOF



Pressure Dia Casting

**Total 10 Machine
Capacity 25K Qty/Day**



Buffing Unit

Capacity 25K Qty/Day



Drilling Section

Capacity 25K Qty/Day




Pre Treatment Process

Capacity 25K Qty/Day



Powder Coating

**Capacity 25K Qty/Day Powder
Coating**



Injection Moulding

**Total 12 Machine
Capacity 60K Qty/Day**

MANUFACTURE

FROM CONCEPT TO MANUFACTURE, ALL UNDER ONE ROOF



CNC Router



Packing & Master Carton



SMT Section

**Capacity Rated 55 lakh
Qty/Day SMT Mounting**



MI SECTION

**Capacity 60K Qty/Day SMPS
and Driver**



Indoor Assembling

Capacity 50K Qty/Day



Automatic LED Bulb Manufacturing Section

Capacity 50K Qty/Day

MANUFACTURE

FROM CONCEPT TO MANUFACTURE, ALL UNDER ONE ROOF



Capacity Rated 15K Qty/Day



FROM CONCEPT TO MANUFACTURE, ALL UNDER ONE ROOF



Assembly Lines



Silent Testing Room



BLDC Winding



Surge Testing Machine



Winding section



CNC Machine

FAN PRODUCTION UNIT

IN HOUSE R&D DEPARTMENT

ONE OF THE BEST LIGHTING INDUSTRY R&D DEPARTMENTS IN ADSUN LIGHTING



FULL LUMINAIRE DEVELOPMENT

One of the best-equipped & staffed R&D departments in Adsun Lighting, Delivering seamless industrial Optical, Thermal, Electronic & mechanical design & custom product development.


LIGHTING QUALITY STANDARD

Lighting Quality Standard helps lighting professionals & customers understand how to choose the perfect luminaire.




CUSTOMISATION CAPABILITY

CUSTOMIZED SOLUTIONS READY TO MEET ALL REQUIREMENTS



PROJECTS-LIGHTING SOLUTIONS

INNOVATIVE LIGHTING SOLUTIONS EASY TO SELL, SIMPLE TO IMPLEMENT & BENEFICIAL TO USE



WHY DO BUSINESS WITH US?

- Quality Products with High Efficiency and Warranty Period
- Ability to Respond Quickly to Customer Requirements
- In-House Research and Development Center
- Ability to Produce Rapid In-house Prototypes
- Ultra-Competitive Price to Quality Ratio
- The strong position at lighting market
- A Short Time to Develop New Products
- Customer Oriented Company
- In-House Innovation Centre
- A Quick Delivery

Table of Contents

01	AD-101	Slim Panel Light		AD-102	Surface Panel Light	
02	AD-106	Downlight Panel Light		AD-106	Surface Ring	
03	AD-107	LED 2x2 Backlit Panel Light		AD-108	LED Panel Light	
04	AD-112 AD-113	LED Double Colour Panel Light		AD-116	LED Panel Down Light	
05	AD-117	LED SLIM PANEL LIGHT		AD-118	LED Rimless Surface Panel Light	
06	AD-206	Ginger Model Flood Light		AD-209	LED High Bay Light	
07	AD-221	LED Flood Light		AD-227	LED Flood Light	

Table of Contents

08

AD-301

Lens Model
Street Light



AD-303

LED
Street Light



09

AD-406

PC LED
SPOT LIGHT



AD-501

Driver
(Street & Flood
Light)



10

AD-502

Panel Light
Driver



AD-503

Ultra
Slim SMPS



11

AD-506

LED
Strip Light



AD-507

LED Rope
Light



12

AD-511

Ultra Slim
SMPS



AD-555

LED
Flood Light



AD-601

Deep Sine
Downlight



13

AD-602

Glory
Surface
Light



AD-603

PC
Concealed
DownLight



AD-605

AL
Concealed
DownLight



14

AD-606

Junction
Box
Light



AD-607

LED PC
DownLight



AD-614

COB
Concealed
Light



Table of Contents

15	AD-617 Deep Junction Light		AD-625 Striker Led Light		AD-626 LED Concealed Light				
16	AD-627	LED Concealed Light		AD-701	Bulk-HEAD Fitting				
17	AD-801	Trimless Deep Cob light		AD-802	Trimless Deep Cob light				
18	AD-804	Led Movable Cob Light		AD-805	Cylinder COB Led Light		AD-807	LED Wall Light UP/Down	
19	AD-810	LED Wall Light		AD-059	LED Wall Light		AD-525	Led Step Light	
20	AD-818	COB Track Light		AD-819	Cob Wall Light				

Table of Contents

21

AD-902

LED Bulb
0.5W



AD-902

LED
Bulb



22

AD-903

Emergency
Led Bulb



AD-905
Candle
LED
Bulb



AD-911

Mosquito
Rechargeable
Racket



23

AD-120

LED
Batten
Light



AD-121

LED
Batten
Light



24

AD-1503

Solar LED
Street Light



25,26

**FUTURE
LAUNCHING**

27,28



**FUTURE
LAUNCHING**



**FUTURE
LAUNCHING**



AD-101 AL SLIM PANEL LIGHT

CUBA
 SERIES


AVAILABLE IN : ROUND & SQUARE SHAPE

COLOUR : ○●○○●●●●

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Cut-Out Size (Inch)	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-101-3W	3W	3 Inch	≥ 0.5	≥ 2.5 KV	180	IP-20	85x85x22 mm	Aluminium	40 Pcs.
AD-101-8W	8W	4 Inch	≥ 0.5	≥ 2.5 KV	560	IP-20	120x120x21 mm	Aluminium	40 Pcs.
AD-101-12W	12W	5 Inch	≥ 0.95	≥ 4.0KV	960	IP-20	145x145x22 mm	Aluminium	30 Pcs.
AD-101-15W	15W	6 Inch	≥ 0.95	≥ 4.0KV	1200	IP-20	170x170x22 mm	Aluminium	30 Pcs.
AD-101-18W	18W	7 Inch	≥ 0.95	≥ 4.0KV	1440	IP-20	190x190x22 mm	Aluminium	20 Pcs.
AD-101-22W	22W	8 Inch	≥ 0.95	≥ 4.0KV	1760	IP-20	220x220x22 mm	Aluminium	20 Pcs.

AD-102 AL SURFACE LED PANEL LIGHT

BOOST
 SERIES


AVAILABLE IN : ROUND & SQUARE SHAPE

COLOUR : ○●○○●●●●

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-102-8W	8W	≥ 0.5	≥ 2.5 KV	560	IP-20	120x120x35 mm	Aluminium	40 Pcs.
AD-102-15W	15W	≥ 0.95	≥ 4.0KV	1200	IP-20	170x170x35 mm	Aluminium	20 Pcs.
AD-102-22W	22W	≥ 0.95	≥ 4.0KV	1760	IP-20	224x224x35 mm	Aluminium	20 Pcs.

AD-106 PC DOWNLIGHT LED PANEL LIGHT

**BLASTER
SERIES**



15W AVAILABLE IN (3IN1 COLOUR)

AVAILABLE IN : ROUND & SQUARE SHAPE

Green LED | Life 25000hrs | High Efficiency

COLOUR : ○ ● ○ ● ○ ● ○ ●

Product Code	Watt	Cut-Out Size (Inch)	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-106-8W	8W	4 Inch	≥ 0.95	≥ 4.0KV	640	IP-20	116x116x35 mm	PC	30 Pcs.
AD-106-12W	12W	5 Inch	≥ 0.95	≥ 4.0KV	960	IP-20	144x144x35 mm	PC	30 Pcs.
AD-106-15W	15W	6 Inch	≥ 0.95	≥ 4.0KV	1200	IP-20	166x166x35 mm	PC	30 Pcs.
AD-106-22W	22W	8 Inch	≥ 0.95	≥ 4.0KV	1760	IP-20	220x220x35 mm	PC	20 Pcs.

AD-106 SURFACE RING

**BLASTER
SERIES**



AVAILABLE IN : ROUND & SQUARE SHAPE

Product Code	Watt	Product Type	Size : LxWxHxT Dia x High x Thickness	Mounting Size in mm	Weight gm	Qty in Master Carton
AD-106-8W	8W	ROUND	117x33.5x1.85mm	98 mm	42	30 Pcs.
AD-106-8W	8W	SQUARE	117.5x117.5x33.5x1.8mm	93 mm	50	30 Pcs.
AD-106-15W	15W	ROUND	166x33.5x2mm	145 mm	60	30 Pcs.
AD-106-15W	15W	SQUARE	166.5x166.5x32.5x2mm	144 mm	80	30 Pcs.
AD-106-22W	22W	ROUND	220x33x2.5mm	198 mm	90	20 Pcs.
AD-106-22W	22W	SQUARE	220x220x32.5x2.2mm	200 mm	95	20 Pcs.

AD-107 LED 2X2 BACKLIT PANEL LIGHT

**CRUISER
SERIES**


AVAILABLE IN : SQUARE SHAPE

COLOUR : ○

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Cut-Out Size (mm)	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-107-48W	48W	24x24 Inch	≥ 0.95	≥ 4 KV	4320	IP-20	600x600x35	Aluminium	6 Pcs.

AD-108 LED PANEL LIGHT

**COSMIC
SERIES**


AVAILABLE IN : ROUND & SQUARE SHAPE

COLOUR : ○●○○

Green LED | Life 25000hrs | High Efficiency


Product Code	Watt	Cut-Out Size (Inch)	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-108-3W	3W	3 Inch	≥ 0.5	≥ 2.5KV	180	IP-20	88.5x88.5x16	Aluminium	40 Pcs.
AD-108-4W	4W	3 Inch	≥ 0.5	≥ 2.5KV	240	IP-20	88.5x88.5x16	Aluminium	40 Pcs.
AD-108-8W	8W	4 Inch	≥ 0.95	≥ 4 KV	560	IP-20	165.5x165.5x16	Aluminium	40 Pcs.
AD-108-15W	15W	6 Inch	≥ 0.95	≥ 4 KV	1200	IP-20	120x120x17	Aluminium	30 Pcs.
AD-108-22W	22W	8 Inch	≥ 0.95	≥ 4 KV	1760	IP-20	223x223x17	Aluminium	20 Pcs.



AD-112 & AD-113 (With Surface)

LED DOUBLE COLOUR PANEL LIGHT

**VELVET
SERIES**



AVAILABLE IN : ROUND & SQUARE SHAPE

COLOUR : ○+●, ○+●
○+● & ○+●●●

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Cut-Out Size (mm)	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-112-3+3W	3+3W	3 Inch	≥ 0.5	≥ 2.5KV	210	IP-20	105x105x25 mm	PC	40 Pcs.
AD-112-6+6W	6+6W	4 Inch	≥ 0.95	≥ 2.5KV	420	IP-20	145x145x25 mm	PC	40 Pcs.
AD-112-12+4W	12+4W	6 Inch	≥ 0.5	≥ 2.5KV	840	IP-20	145x145x25 mm	PC	20 Pcs.

AD-116 LED PANEL DOWNLIGHT

**CRYSTA
SERIES**



COLOUR : ●●●●●●●●

3 IN 1 : ●+●+●, ●+●+●, ●+●+●

AVAILABLE IN : ROUND & SQUARE

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-116-6W	6W	≥ 0.95	600	≥ 4KV	IP-20	95x80x25 mm	PC	40 Pcs.
AD-116-12W	12W	≥ 0.95	1000	≥ 4KV	IP-20	130x105x25 mm	PC	30 Pcs.
AD-116-18W	18W	≥ 0.95	1500	≥ 4KV	IP-20	150x156x25mm	PC	20 Pcs.

AD-117 LED SLIM PANEL LIGHT

ELITE
 SERIES

 NEW PRODUCT
 LAUNCH


COLOUR : ○ ● ○ ● ○ ● ○ ●

Green LED | Life 35000hrs | High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-117-8W	8W	≥ 0.9	560	≥ 4KV	IP-20	118X28	PC	40 Pcs.
AD-117-15W	15W	≥ 0.9	1200	≥ 4KV	IP-20	166X28	PC	30 Pcs.
AD-117-22W	22W	≥ 0.9	1760	≥ 4KV	IP-20	215X28	PC	20 Pcs.

AD-118 LED RIMLESS SURFACE PANEL LIGHT

INVICTO
 SERIES


COLOUR : ○ ● ○ ●

Green LED | Life 35000hrs | High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-118-8W	8W	≥ 0.9	800	≥ 4KV	IP-20	90X90X27	PC	40 Pcs.
AD-118-15W	15W	≥ 0.9	1500	≥ 4KV	IP-20	120X120X27	PC	20 Pcs.
AD-118-22W	22W	≥ 0.9	2000	≥ 4KV	IP-20	155X155X27	PC	20 Pcs.

AD-206 GINGER MODEL FLOOD LIGHT

**ARMOUR
SERIES**



COLOUR : ☐ ☒

Green LED | Life 35000hrs | High Efficiency

Product Code	Watt	Power Factor	Withstand Voltage	Surge Protection	IP-Rating	Lumen (lm)	Finish Product Size	Finish Product Weight	Housing Type	Qty in Master Carton
AD-206-10W	10W	≥ 0.95	440Vac	≥ 3.5-4 KV	IP-66	1000	126x118x38 mm	350 gram	Aluminium	10 Pcs.
AD-206-20W	20W	≥ 0.95	440Vac	≥ 4.0 KV	IP-66	2000	185X182X43 mm	800 gram	Aluminium	10 Pcs.
AD-206-30W	30W	≥ 0.95	440Vac	≥ 6 KV	IP-66	3000	182x184x42 mm	820 gram	Aluminium	20 Pcs.
AD-206-50W	50W	≥ 0.95	440Vac	≥ 6 KV	IP-66	5000	223x227x49 mm	1340 gram	Aluminium	10 Pcs.
AD-206-100W	100W	≥ 0.95	440Vac	≥ 6 KV	IP-66	10000	275x285x64 mm	2000 gram	Aluminium	05 Pcs.
AD-206-150W	150W	≥ 0.95	440Vac	≥ 6 KV	IP-66	15000	292x292x68 mm	2660 gram	Aluminium	05 Pcs.
AD-206-200W	200W	≥ 0.95	440Vac	≥ 6 KV	IP-66	20000	337x317x68 mm	3770 gram	Aluminium	05 Pcs.
AD-206-300W	300W	≥ 0.95	440Vac	≥ 6 KV	IP-66	30000	318x420x93mm	5700 gram	Aluminium	1 Pcs.
AD-206-400W	400W	≥ 0.95	440Vac	≥ 6 KV	IP-66	40000	345x525x95mm	8056 gram	Aluminium	1 Pcs.
AD-206-500W	500W	≥ 0.95	440Vac	≥ 6 KV	IP-66	50000	355x630x95mm	9500 gram	Aluminium	1 Pcs.

AD-209 LED HIGHT BAY LIGHT

**UFO
SERIES**



COLOUR : ☐ ☒ LENS MODEL

Green LED | Life 35000hrs | High Efficiency

Product Code	Watt	Power Factor	Withstand Voltage	Surge Protection	IP-Rating	Lumen (lm)	Finish Product Size	Finish Product Weight	Housing Type	Qty in Master Carton
AD-209-100W	100W	≥ 0.95	440Vac	≥ 6 KV	IP-66	10000	290X145mm	1595 gram	Aluminium	5 Pcs.
AD-209-150W	150W	≥ 0.95	440Vac	≥ 6 KV	IP-66	18000	370X145mm	2470 gram	Aluminium	1 Pcs.
AD-209-200W	200W	≥ 0.95	440Vac	≥ 6 KV	IP-66	20000	370X145mm	2585 gram	Aluminium	1 Pcs.

AD-221 LENS LED HYBRID FLOOD LIGHT

**CRYSTAL
SERIES**


COLOUR : ● ○

Green LED | Life 35000hr | High Efficiency

Product Code	Watt	Power Factor	Withstand Voltage	Surge Protection	IP-Rating	Lumen (lm)	Finish Product Size	Finish Product Weight	Housing Type	Qty in Master Carton
AD-223-30W	30W	≥ 0.9	440Vac	≥ 4KV	IP-66	3000	163X150X25 mm	304 gm	Aluminium	20 Pcs.
AD-223-50W	50W	≥ 0.9	440Vac	≥ 4KV	IP-66	5000	220X180X25 mm	450 gm	Aluminium	20 Pcs.
AD-223-100W	100W	≥ 0.9	440Vac	≥ 4KV	IP-66	10000	289X224X25 mm	725 gm	Aluminium	10 Pcs.
AD-223-200W	200W	≥ 0.9	440Vac	≥ 4KV	IP-66	20000	395X297X25 mm	1530 gm	Aluminium	5 Pcs.

AD-227 LED FLOOD LIGHT

**RRR
SERIES**


COLOUR : ● ○ ● ● ● ●

Green LED | Life 35000hrs | High Efficiency

Product Code	Watt	Power Factor	Withstand Voltage	Surge Protection	IP-Rating	Lumen (lm)	Finish Product Size	Finish Product Weight	Housing Type	Qty in Master Carton
AD-211-50W	50W	≥ 0.95	440Vac	≥ 6KV	IP-66	5000	182x182x42mm	810 gram	Aluminium	20 Pcs.
AD-211-100W	100W	≥ 0.95	440Vac	≥ 6KV	IP-66	10000	223x227x49mm	1500 gram	Aluminium	10 Pcs.
AD-211-200W	200W	≥ 0.95	440Vac	≥ 6KV	IP-66	20000	292x292x75mm	2890 gram	Aluminium	5 Pcs.



AD-301 LENS LED STREET LIGHT & SENSOR LENS STREET LIGHT

**THUNDER
SERIES**



Inner Sensor



Light
On



Light
Off

COLOUR : ○●

Green LED | Life 35000hrs | High Efficiency

Product Code	Watt	Power Factor	Withstand Voltage	Surge Protection	Pole Dia	IP-Rating	Lumen (lm)	Finish Product Size	Finish Product Weight	Housing Type	Qty in Master Carton
AD-301-20W	20W	≥ 0.95	440Vac	≥ 4 KV	40 mm	IP-66	2000	300x103x46 mm	530 gram	Aluminium	10 Pcs.
AD-301-24W	24W	≥ 0.95	440Vac	≥ 4 KV	40 mm	IP-66	2400	300x103x46 mm	540 gram	Aluminium	10 Pcs.
AD-301-30W	30W	≥ 0.95	440Vac	≥ 4 KV	40 mm	IP-66	3000	340x124x48 mm	680 gram	Aluminium	10 Pcs.
AD-301-36W	36W	≥ 0.95	440Vac	≥ 4 KV	40 mm	IP-66	3600	340x124x48 mm	680 gram	Aluminium	10 Pcs.
AD-301-50W	50W	≥ 0.95	440Vac	≥ 6 KV	50 mm	IP-66	5000	391x145x50 mm	855 gram	Aluminium	10 Pcs.
AD-301-72W	72W	≥ 0.95	440Vac	≥ 6 KV	56 mm	IP-66	7200	450x170x58 mm	1330 gram	Aluminium	5 Pcs.
AD-301-100W	100W	≥ 0.95	440Vac	≥ 6 KV		IP-66	10000	450x170x58 mm	1330 gram	Aluminium	5 Pcs.

AD-303 LENS LED STREET LIGHT

**INDIAN
SERIES**



COLOUR : ○●

Green LED | Life 35000hrs | High Efficiency

Product Code	Watt	Power Factor	Withstand Voltage	Surge Protection	IP-Rating	Lumen (lm)	Pole Dia	Finish Product Size	Finish Product Weight	Housing Type	Qty in Master Carton
AD-303-150W	150W	≥ 0.95	440Vac	≥ 6 KV	IP-66	15000	60mm	543x225x78 mm	1950 gram	Aluminium	05 Pcs.
AD-303-200W	200W	≥ 0.95	440Vac	≥ 6 KV	IP-66	20000	60mm	596x235x78 mm	2000 gram	Aluminium	05 Pcs.

AD-406 PC LED SPOT LIGHT

**DELUX
SERIES**


COLOUR : ○●○○●●●●

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Cut-Out Size (mm)	Power Factor	Surge Protection	Lumen (lm)	Size (mm)	IP-Rating	Housing Type	Qty in Master Carton
AD-406-3W	3W	33	≥ 0.9KV	≥ 2.0KV	180	40X27	IP-20	PC	50 Pcs.

AD-501 DRIVER (STREET LIGHT & FLOOD LIGHT)

**AMAZE
SERIES**


Product Code	Watt	Power Factor	Size : LxWxH	Product Specification	Qty in Master Carton
AD-501- 20W -24W	20W -24W	≥0.95/4KV	75X28X20 mm	I/P AC 100-300V,50Hz,0/P DC 28-40V,300mA±5%	50 Pcs.
AD-501- 30W-36W	30W-36W	≥0.95/4KV	92X29X22 mm	I/P AC 100-300V,50Hz,0/P DC 28-40V,900mA±5%	50 Pcs.
AD-501- 50W	50W	≥0.95/4KV	98X30X24 mm	I/P AC 100-300V,50Hz,0/P DC 28-40V,1.5A±5%	50 Pcs.
AD-501- 50W	50W	≥0.95/6KV	98X30X24 mm	I/P AC 100-300V,50Hz,0/P DC 28-40V,1.5A+5%	50 Pcs.



AD-502 LED PANEL LIGHT DRIVER

AMAZE
SERIES



Product Code	Watt	Output Voltage	Output Current	THD%	Power Factor	Surge Protection	Housing Type	Qty in Master Carton
AD-502-8W-24W	8W-24W	54-66V	0.3000A	<15%	≥ 0.9	≥ 4 KV	PC	50 Pcs.

AD-503 ULTRA SLIM SMPS

TRIO
SERIES



Product Code	Watt	Output Voltage	Output Current	Power Factor	Housing Type	Qty in Master Carton
AD-503 - 24W	24W	12V	2A	≥ 0.50	Aluminium	50 Pcs.
AD-503 - 36W	36W	12V	3A	≥ 0.50	Aluminium	50 Pcs.
AD-503 - 60W	60W	12V	5A	≥ 0.50	Aluminium	50 Pcs.
AD-503 - 120W	120W	12V	10A	≥ 0.50	Aluminium	50 Pcs.
AD-503 - 150W	150W	12V	12.5A	≥ 0.50	Aluminium	20 Pcs.
AD-503 - 200W	200W	12V	16.5A	≥ 0.50	Aluminium	20 Pcs.
AD-503 - 300W	300W	12V	25A	≥ 0.50	Aluminium	20 Pcs.
AD-503 - 400W	400W	12V	33.3A	≥ 0.50	Aluminium	10 Pcs.

AD-506 LED STRIP LIGHT

**MIRACLE
SERIES**


COLOUR : ○ ● ○ ● ● ● ● ●

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	No. of LED/MTR	Lumen (Per LED)	LED PACKAGE	Total Length	Qty in Master Carton
AD-506- 24W	24W	60 LED	26-28	2835	5 Meters	25 Pcs.
AD-506- 40W	40W	120 LED	26-28	2835	5 Meters	25 Pcs.
AD-506- 80W	80W	240 LED	26-28	2835	5 Meters	25 Pcs.

AD-507 LED ROPE LIGHT

**ROLEX
SERIES**


COLOUR : ○ ● ○ ● ● ● ● ●

Tiranga Colour : ● ○ ●

Green LED | Life 25000hrs | High Efficiency

Product Code	Wattage (Per Mtr.)	No. of LED (Per Mtr.)	Lumen (Per Mtr.)	LED PACKAGE	Total Length	Qty in Master Carton
AD-507	8W	120 LED	700	2835	45 Meters	3 Pcs.
AD-507-Tiranga	8W	120 LED	700	2835	18 Meters	5 Pcs.



AD-511 SUPER ULTRA SMPS

SUPERIOR
SERIES



Product Code	Input Voltage	Output Voltage	Output Current	Power Factor	Housing Type	Qty in Master Carton
AD-511 - 5A	100-300 Vac	12V	5A	≥ 0.5	Aluminium	30 Pcs.
AD-511 - 10A	100-300 Vac	12V	10A	≥ 0.5	Aluminium	30 Pcs.

AD-555 LED FLOOD LIGHT

SPECTRA
SERIES



COLOUR : ○●○

Green LED | Life 35000hr | High Efficiency

Product Code	Watt	Power Factor	Withstand Voltage	Surge Protection	IP-Rating	Lumen (lm)	Finish Product Size	Housing Type	Qty in Master Carton
AD-555-50W	50W	≥ 0.95	440 Vac	≥ 4 KV	IP-66	5500	203X172X22mm	Aluminium	20 Pcs.
AD-555-100W	100W	≥ 0.95	440 Vac	≥ 6 KV	IP-66	11000	263X217X22mm	Aluminium	20 Pcs.

AD-601 LED DEEP SINE DOWN LIGHT

NITRO
SERIES



COLOUR : ○●

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Cut-Out Size (mm)	Power Factor	Lumen (lm)	Surge Protection	Size (mm)	IP-Rating	Housing Type	Qty in Master Carton
AD-601- 6W	6W	45 mm	≥ 0.9	480	≥ 2.5 KV	85x65	IP-20	PC	20 Pcs.
AD-601- 12W	12W	45 mm	≥ 0.5	960	≥ 2.5 KV	140x65	IP-20	PC	20 Pcs.

AD-602 LED GLORY SURFACE LIGHT

OXY
 SERIES


COLOUR : ○●○○●●●●

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	Size (mm)	IP-Rating	Housing Type	Qty in Master Carton
AD-602- 6W	6W	≥ 0.9	480	≥ 2.5 KV	85x44 mm	IP-20	PC	20 Pcs.
AD-602- 12W	12W	≥ 0.5	960	≥ 2.5 KV	140x44 mm	IP-20	PC	20 Pcs.

AD-603 LED PC CONCEALED DOWNLIGHT

MIRAGE
 SERIES


COLOUR : ○●○○●●●●

3 IN 1 : ●+●+○, ○+●+○, ●+●+●

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Cut-Out Size (mm)	Power Factor	Lumen (lm)	Surge Protection	Size (mm)	IP-Rating	Housing Type	Qty in Master Carton
AD-603-8W	8W	80 mm	≥0.95	560	≥ 4 KV	110x46	IP-20	PC	50 Pcs.

AD-605 LED AL CONCEALED DOWNLIGHT

TEJAS
 SERIES


COLOUR : ○●○○●●●●

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Cut-Out Size (mm)	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-605- 10W	10W	75 mm	≥0.95	800	≥4.0KV	IP-20	110x46 mm	Aluminium	50 Pcs.

AD-606 LED PC JUNCTION BOX LIGHT

DHOOM
 SERIES


COLOUR : ○ ● ○ ● ○ ● ○ ●

3 IN 1 : ● + ● + ○, ○ + ● + ○, ● + ● + ●

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Cut-Out Size (mm)	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-606-3W	3W	55 mm	≥ 0.5	210	≥ 0.5 KV	IP-20	80x32	PC	50 Pcs.

AD-607 LED PC CONCEALED DOWNLIGHT

RAFALE
 SERIES


COLOUR : ○ ● ○ ● ○ ● ○ ●

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Cut-Out Size (mm)	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-607-6W	6W	75 mm	≥ 0.95	480	≥ 4 KV	IP-20	75 mm	PC	50 Pcs.

AD-614 PC COB CONCEALED LIGHT

CHETAK
 SERIES


COLOUR : ○ ● ○ ● ○ ● ○ ●


Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Cut-Out Size (mm)	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-614-3W	3W	55 mm	≥ 0.50	210	≥ 1.5 KV	IP-20	75x40	PC	50 Pcs.
AD-614-7W	7W	80 mm	≥ 0.95	490	≥ 3.5 KV	IP-20	106x47	PC	50 Pcs.



AD-617 LED PC DEEP JUNCTION LIGHT

**RAINBOW
SERIES**



COLOUR : ☐ CW+BL ☐ CW+RD ☐ CW+PK ☐ CW+WW
☐ CW+GR ☐ CW+MULTICOLOUR ☐ RAINBOW

Green LED | Life 25000hrs | **High Efficiency**

Product Code	Watt	Cut-Out Size (mm)	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-617-8W	8W	50 mm	≥ 0.5	680	≥ 2.5KV	IP-20	88x88x42 mm	PC	50 Pcs.
AD-617-15W	15W	50 mm	≥ 0.5	1200	≥ 2.5KV	IP-20	115x115x45 mm	PC	50 Pcs.

AD-625 PC LED STRIKER LIGHT

**MELODY
SERIES**



COLOUR : ☐ ☐ ☐ ☐ ☐ ☐ ☐

Green LED | Life 35000hr | **High Efficiency**

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Housing Type	Qty in Master Carton
AD-625-3W	3W	≥ 0.9	≥ 2.5KV	180	IP-20	PC	100 Pcs.

AD-626 LED CONCEALED LIGHT

**ROYAL
SERIES**



COLOUR : ☐ ☐ ☐ ☐ ☐

Green LED | Life 25000hrs | **High Efficiency**

Product Code	Watt	Cut-Out Size (mm)	Power Factor	Lumen (lm)	Surge Protection	Size (mm)	Housing Type	Qty in Master Carton
AD-626-6W	6W	72 mm	≥ 0.9	100	≥ 4 KV	110 mm	PC	50 Pcs.

AD-627 LED CONCEALED LIGHT

**ASTRO
SERIES**

COLOUR : ○ ● ○ ● ○ ●

3 IN 1 : ● + ● + ○, ○ + ● + ○, ● + ● + ●

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Cut-Out Size (mm)	Power Factor	Lumen (lm)	Surge Protection	Size (mm)	IP-Rating	Housing Type	Qty in Master Carton
AD-627-3W	3W	40mm	≥0.9	210	≥ 4 KV	71 mm	IP-54	PC	50 Pcs.

AD-701 PC LED BULK-HEAD LIGHT

**AVIATOR
SERIES**

**WATER
&
DUST PROOF**
COLOUR : ○ ●

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-701- 10W	10W	≥ 0.95	1000	≥ 4KV	IP-54	170x68x46 mm	PC	50 Pcs.
AD-701- 20W	20W	≥ 0.95	2000	≥ 4KV	IP-54	210x97x55 mm	PC	20 Pcs.



AD-801 AL TRIMLESS DEEP COB LIGHT



**DECORE
SERIES**

COLOUR : CW, WW, NW

12W (3 IN 1) : ○ ● ●

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Cut out Size (mm)	Housing Type	Qty in Master Carton
AD-801-7W	7W	≥0.9	700	≥2.5KV	IP-20	65X56.5mm	53mm	Aluminium	20 Pcs.
AD-801-12W	12W	≥0.9	1200	≥2.5KV	IP-20	84X78mm	74mm	Aluminium	20 Pcs.
AD-801-18W	18W	≥0.9	1800	≥2.5KV	IP-20	102X98mm	90mm	Aluminium	20 Pcs.

AD-802 AL TRIMLESS DEEP COB LIGHT

**DECORE
SERIES**



**BRIDGELUX
COB CHIP**

Reflector Colour : Z BLACK

Reflector Colour : ROSE GOLD

COLOUR : CW, WW, NW

12W (3 IN 1) : ○ ● ●

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Cut out Size (mm)	Housing Type	Qty in Master Carton
AD-802- 7W	7W	≥0.5	700	≥2.5KV	IP-20	65x58 mm	53 mm	Aluminium	20 Pcs.
AD-802- 12W	12W	≥0.95	1200	≥4KV	IP-20	84x78 mm	74 mm	Aluminium	20 Pcs.
AD-802- 18W	18W	≥0.95	1800	≥4KV	IP-20	102x98 mm	90 mm	Aluminium	20 Pcs.

AD-804 AL LED MOVABLE DEEP COB LIGHT

**HORNED
SERIES**


COLOUR : CW, WW, NW

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Cut out Size (mm)	Housing Type	Qty in Master Carton
AD-804-7W	7W	≥0.5	490	≥2.5KV	IP-20	83X55mm	65mm	Aluminium	40 Pcs.
AD-804-12W	12W	≥0.9	960	≥4KV	IP-20	105X66mm	85mm	Aluminium	30 Pcs.

AD-805 CYLINDER COB LED LIGHT

**FOSSIL
SERIES**


COLOUR : CW, WW, NW

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-805-12W	12W	≥0.5	960	≥2.5KV	IP-20	85X75mm	Aluminium	30 Pcs.
AD-805-20W	20W	≥0.9	1600	≥4KV	IP-20	95X85mm	Aluminium	20 Pcs.

AD-807 AL LED WALL LIGHT UP/DOWN

**DECORE
SERIES**


2 EYE

4 EYE

COLOUR : ●

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-807- 2W	2W	≥0.5	140	≥2.5KV	IP20	80x74x35mm	AL	20 Pcs.
AD-807- 4W	4W	≥0.5	280	≥2.5KV	IP20	110x80x38mm	AL	20 Pcs.



AD-810 AL LED WALL LIGHT

DECORE
SERIES



2 WAY



4 WAY

COLOUR : ●

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-810-2W	2W	≥0.5	140	≥2.5KV	IP20	59x59x44mm	AL	20 Pcs.
AD-810-4W	4W	≥0.5	280	≥2.5KV	IP20	59x59x44mm	AL	20 Pcs.

AD-059 AL LED WALL LIGHT UP/DOWN

DECORE
SERIES



COLOUR : ●

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-059-3W	3W	≥ 0.50	180	2.5 KV	IP-65	75x80x60 mm	Aluminium	20 Pcs.
AD-059-6W	6W	≥ 0.50	360	2.5 KV	IP-65	140x80x60 mm	Aluminium	20 Pcs.

AD-525 AL LED STEP LIGHT

DECORE
SERIES



COLOUR : ●

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-525	3W	≥0.5	120	≥1.5 KV	IP-65	84x84x47 mm	Aluminium	20 Pcs.

AD-818 AL COB TRACK LIGHT

FRONX
 SERIES

COLOUR : ● ○ ○

Body Colour : Black Only

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-818-10W	10W	≥0.5	900	≥2.5KV	IP20	133x133mm	AL	10 Pcs.
AD-818-20W	20W	≥0.9	1800	≥4.0KV	IP20	136x139mm	AL	10 Pcs.
AD-818-30W	30W	≥0.9	2700	≥4.0KV	IP20	164x160mm	AL	10 Pcs.
AD-818-50W	50W	≥0.9	4500	≥4.0KV	IP20	180x180mm	AL	10 Pcs.

AD-819 AL COB WALL LIGHT

FOSSIL
 SERIES

COLOUR : ● ○ ○

Body Colour : Black Only

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Housing size	Base Dia (mm)	Housing Type	Qty in Master Carton
AD-819-3W	3W	≥0.5	270	≥2.5KV	IP20	40x75mm	60x106mm	AL	20 Pcs.
AD-819-6W	6W	≥0.5	540	≥2.5KV	IP20	50x93mm	60x117mm	AL	20 Pcs.
AD-819-9W	9W	≥0.5	810	≥2.5KV	IP20	60x104mm	60x125mm	AL	20 Pcs.
AD-819-16W	16W	≥0.9	1440	≥4.0KV	IP20	76x141mm	80x146mm	AL	10 Pcs.
AD-819-30W	30W	≥0.9	2700	≥4.0KV	IP20	97x265 mm	100X170mm	AL	10 Pcs.
AD-819-50W	50W	≥0.9	4500	≥4.0KV	IP20	115x292 mm	122X190mm	AL	10 Pcs.

AD-902 PC LED BULB LIGHT

JUPITER
 SERIES

COLOUR : ○ ● ○ ● ○ ● **Base Cap : B22**

Product Code	Watt	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-902	0.5 W	IP20	45 X 70mm	PC	60 Pcs.

Green LED | Life 10000hrs | High Efficiency

AD-902 PC LED BULB LIGHT

JUPITER
 SERIES

COLOUR : ● ○ **Base Cap : B22** Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-902- 7W	7W	≥ 0.9KV	700	≥ 4KV	IP20	50x94 MM	PC	100 Pcs.
AD-902- 9W	9W	≥ 0.9KV	900	≥ 4KV	IP20	60x110 MM	PC	100 Pcs.
AD-902- 12W	12W	≥ 0.9KV	1200	≥ 4KV	IP20	60x110 MM	PC	100 Pcs.
AD-902- 15W	15W	≥ 0.9KV	1500	≥ 4KV	IP20	70x132 MM	PC	50 Pcs.
AD-902- 18W	18W	≥ 0.9KV	1800	≥ 4KV	IP20	80x147 MM	PC	40 Pcs.
AD-902- 24W	24W	≥ 0.9KV	2500	≥ 4KV	IP20	80x140 MM	PC	40 Pcs.
AD-902- 36W	36W	≥ 0.9KV	3600	≥ 4KV	IP20	163x98 MM	PC	20 Pcs.
AD-902- 45W	45W	≥ 0.9KV	4500	≥ 4KV	IP20	123x200 MM	PC	20 Pcs.
AD-902- 55W	55W	≥ 0.9KV	5500	≥ 4KV	IP20	134x217 MM	PC	20 Pcs.
AD-902- 65W	65W	≥ 0.9KV	6500	≥ 4KV	IP20	143X222 MM	PC	20 Pcs.

AD-903 EMERGENCY LED BULB

ROOSTER
 SERIES

COLOUR : ○

Base Cap : B22

Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-903-10W	10W	≥0.95	1000	≥4.0KV	IP20	140X70mm	PC	50 Pcs.
AD-903-20W	20W	≥0.95	2000	≥4.0KV	IP20	87X165mm	PC	20 Pcs.

AD-905 CANDLE LED BULB

CANDLE
 SERIES


Green LED | Life 25000hrs | High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-905-5W	5W	≥0.90	500	≥4.0KV	IP20	106X37mm	AL	50 Pcs.

AD-911 MOSQUITO RECHARGEABLE RACKET



Product Code	Input Voltage Range	Frequency Range	Battery Life	Housing Type	Qty in Master Carton
AD-911	AC 90-300V	50Hz	400 mah	PC	24 Pcs.

AD-120 PC LED BATTEN LIGHT

**JUPITER
SERIES**


COLOUR :  **Green LED** | Life 25000hrs | High Efficiency

Triangle Colour : 

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-120-5W	5W	≥0.90	500	≥4.0KV	IP20	280X20X29mm	PC	40 Pcs.
AD-120-10W	10W	≥0.90	1000	≥4.0KV	IP20	565x20x29mm	PC	40 Pcs.
AD-120-22W	22W	≥0.90	2200	≥4.0KV	IP20	1095x20x29mm	PC	20 Pcs.

AD-121 PC LED BATTEN LIGHT

**JUPITER
SERIES**


COLOUR :  **Green LED** | Life 25000hrs | High Efficiency

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type	Qty in Master Carton
AD-121-36W	36W	≥0.90	3600	≥4.0KV	IP20	1135x30x35mm	PC	20 Pcs.

AD-1503 SOLAR LED STREET LIGHT

SOLID
SERIES



COLOUR : ○

Green LED | Life 35000hrs | High Efficiency

Watt	Real Power	Lumens	Battery	Window	IP Rating	Housing Type	Backup	Finish Product Size (LxWxH)	Weight	Pole Dia
60W	8W	1300	10AH	8	IP-65	ABS	8Hrs. to 10Hrs.	260x65x500mm	1700 grams	50mm
100W	11.2W	1750	15AH	10				260x60x580mm	2000 grams	
200W	14.4W	2150	20AH	12				260x60x660mm	2300 grams	

**COMING
SOON.**



SWORD PRO



LINEAR COB



Magnetic Profile



SPIKE LIGHT



COB LIGHT



Mirror Light



MOVABLE COB



CABINET LIGHT



Pop Out Cob Light



CIANA TRIMLESS SPOT LIGHT



Prime Linear Light



**3in1 Zoom
Light**

**COMING
SOON.**



**Curve UP
Down Light**



CIANA CONCEALED



**Fab-125 17*14mm
Conceal**



CIANA SPOT LIGHT



CIANA SURFACE SPOT LIGHT



**Rose Gold
UP Down**



COB Track Light



COB SPOT LIGHT



**Rose Gold
UP Down**



PROFILE LIGHT



**Two Wire Track
Channel**



**Track
Connector**

**COMING
SOON.**



COB LIGHT



Magnetic Track



CURVE PRO



LED Spike Light



Classic Cob



Double Cob Light

**COMING
SOON.**



COB MULTI COLOUR



MAGNETIC LASER LIGHT



CIANA ZOOM LIGHT




SWORD TRIMLESS



LINEAR HANGING LIGHT



Prime COB Light



Prime COB Square



Waterproof COB Light



Moving COB Light



Prime Cob Light





 भारतीय मानक बोर्ड BUREAU OF INDIAN STANDARDS Ministry of Consumer Affairs, Food & Public Distribution Govt. of India		संलग्न चक्र पर १ (एक) चक्र भरें, यदि किसी भी स्थिति में - ११/०१/२०२० Shakti Bhawan, 8 Bahadur Shah Zafar Marg, New Delhi - 110002 T: 011/ 23103751-23103752/23103753/23103754/23103755/23103756 F: 011/ 23103757 E-mail: registration@bis.gov.in Website: http://www.bis.gov.in	
Use Ref Registration No: 2020-1278(B)-4-011018 Date: 03-Apr-2020			
Subject : License Issuance		Product Category: Adorn Lighting Private Limited Plot No. 306, Phase - I, SECTOR-58, KINDELSONPAT JARVANA HARVANA, India - 131028 skn@adornlighting.com 0119917640	
Product Name: PLT NO. 306, PHASE - I, SECTOR-58, KINDELSONPAT JARVANA HARVANA, India - 131028			
Model: PLT NO. 306, PHASE - I, SECTOR-58, KINDELSONPAT JARVANA HARVANA, India - 131028			
Brand (As Declared by Manufacturer): UNITEK			
Model: UNITEK - LISTER, Models - 1PW, 1TR, 1PW, 1TR, 1R, 1R, 1R, 1R, 1R, 1R			
Factory Address: PLT NO. 306, PHASE - I, SECTOR-58, KINDELSONPAT JARVANA HARVANA, India - 131028			
2. The license is being granted for your unit located at the address and for the brand and models mentioned at serial no 1 above.			
3. The mention assigned to this License is 08-01-2021 and is valid upto 08-Apr-2024. The License Number should necessarily be assigned to its year later correspondence.			
4. The rights and privileges under the license shall not be exercised by any other factory / organization at any other location. This license is not transferable. In the event of shifting of the manufacturing machinery from the registered premises to some other place use of the license Number shall be stopped and DRS shall be returned.			
5. The licensee shall comply with the provisions of the Act, rules and regulations framed thereunder and as amended from time to time.			
6. The licensee shall follow the guidelines for the issue of Standard Mark and labeling requirements as per Annex-I.			
7. The licensee shall not use the license in any manner which contravenes the provisions of Act, rules and regulations framed thereunder and as amended from time to time.			
8. Upon expiry of validity, stoppage or suspension or cancellation of license, you shall discontinue further use of the self-declaration of conformity to the relevant Indian Standards and withdraw all promotional and advertising material which contains any reference therein.			
9. For renewal of license, the licensee shall have to apply to BIS three months in advance before expiration of the license and application form for renewal is available on BIS website.			
10. The license is not transferable. Kindly acknowledge receipt of this letter.			
Thanking you,			
Yours faithfully, (Signature/Stamp) Secretary D Tel: 011-23103756 E-mail: registration@bis.gov.in		11. This is a system generated letter. Hence signature is not required. To verify authentication of letter, kindly scan the QR code on this letter.	

 भारतीय मानक ब्यूरो (under ministry of science and tech, govt. of india) BUREAU OF INDIAN STANDARDS Ministry of Science and Tech, Govt. of India	कमल भवन, ३५बहादुर जंग बजार मार्ग, नई दिल्ली - ११००१३ Munshi Bhawan 35 Bahadur Jung Bazar Marg, New Delhi - 110013 Phone: +91-11-23234061/23234061/23234077/23234082 E-Mail: Registration@bis.gov.in WWW.BIS/Website: https://bis.gov.in/ https://www.bis.gov.in/BIS		Date: 2023-06-20 15:30:08
Order Ref: REGISTRATION-XT00-2024-2144/E-0000033			
RENEWAL ID : 12006			
Subject: RENEWAL OF LICENCE R-0000455 AS PER IS 13252Part 1:2010 IEC 60850-1 : 2005			
Address: Lighting Private Limited B-UTTER, 6A, PLOT NO. 11, KPRIVAD JV INDUR, INDUSTRIAL ESTATE, KUNDLI, KODPAT JARIYANA, HUDA HARYANA, India, 131435 			
Dear Sir/Madam,			
With reference to your online application dated 28-06-2023 for renewal of the above mentioned Licence, this is to inform you that the same has been extended till 31-07-2025 to 10:07:10:02.			
It may be noted that the said Licence granted under clause (b) of sub-section (7) of section 17 of the Act shall expire at the end of the period for which it is granted unless renewed or its renewal is deferred. You are, therefore, requested to apply for new renewal to BIS within three months before the expiration of the licence.			
Thanking you,			
Yours faithfully,			
Registration Department Bureau of Indian Standards, 9, Bahadur Shastri Park Marg, New Delhi-110002 Tel/Fax: +91-11-23234066 E-mail: regisnsm@bis.gov.in			
Note: This is a system generated letter. Hence signature is not required.			
To verify authenticity of letter, kindly scan the QR code on this letter.			
For details information on BIS, consult the e-BIS Portal (www.bisindia.org.in).			
Please use BIS CARE APP for verification of BIS-marked goods and hallmarked gold jewellery.			



Youtube

**JOIN US
NOW**



Catalogue
2026



LED LIGHTS



GET IN TOUCH WITH US

Adsun Lighting Pvt. Ltd.

Plot No. 366, Sector-56, Phase-V,
HSIIDC Industrial Estate Kundli
Distt. Sonapat-131028 (Haryana).

Customer Care No. : 18005722920

Email : info@listerled.com

www.listerled.com



Facebook



Instagram

