



POWER YOUR DREAMS WITH OUR WIRES



FR Building Wires



Pressfit makes Single Core, Unsheathed, Multi-strand, High Conductivity, plain annealed Copper, Flame Retardant PVC-Insulated Building Wires in voltage grade up to and including 1100 Volts, as per IS 694 (HSN: 85444920)

Size	Configuration	LP / 90 mtrs.	Code [#]	Pkg.
0.75 sq. mm	24/0.20 [^]	₹2005	301-X-1-Y	40 Coils
1.00 sq. mm	14/0.30 [*]	₹2543	301-X-2-Y	20 Coils
1.50 sq. mm	22/0.30 [*]	₹3923	301-X-3-Y	16 Coils
2.50 sq. mm	36/0.30 [*]	₹6310	301-X-5-Y	16 Coils
4.00 sq. mm	56/0.30 [^]	₹9590	301-X-6-Y	10 Coils
6.00 sq. mm	84/0.30 [^]	₹14266	301-X-7-Y	8 Coils
10.00 sq. mm	140/0.30 [^]	₹24550	301-X-8-Y	5 Coils
16.00 sq. mm	126/0.40 [^]	₹39964	301-X-9-Y	4 Coils

Note: Coils available in 90 mtrs. (corr. box), 45 mtrs. and 180 mtrs. (poly-bag)

[#]X: Packing - 90m (1), 45m (2), 180m (3)

Y: Colour - Black (0), Red (4), Blue (5), Green (6), Yellow (7)

FRLSH Building Wires



Pressfit makes Single Core, Unsheathed, Multi-strand, High Conductivity, plain annealed Copper, Flame Retardant Low Smoke and Low Halogen Building Wires in voltage grade up to and including 1100 Volts, as per IS 694 (HSN: 85444920)

Size	Configuration	LP / 90 mtrs.	Code [#]	Pkg.
0.75 sq. mm	24/0.20 [^]	₹2337	302-X-1-Y	40 Coils
1.00 sq. mm	14/0.30 [*]	₹2607	302-X-2-Y	20 Coils
1.50 sq. mm	22/0.30 [*]	₹3996	302-X-3-Y	16 Coils
2.50 sq. mm	36/0.30 [*]	₹6421	302-X-5-Y	16 Coils
4.00 sq. mm	56/0.30 [^]	₹9742	302-X-6-Y	10 Coils
6.00 sq. mm	84/0.30 [^]	₹14704	302-X-7-Y	8 Coils
10.00 sq. mm	140/0.30 [^]	₹25054	302-X-8-Y	5 Coils
16.00 sq. mm	126/0.40 [^]	₹40755	302-X-9-Y	4 Coils

Note: Coils available in 90 mtrs. (corr. box), 45 mtrs. and 180 mtrs. (poly-bag)

[#]X: Packing - 90m (1), 45m (2), 180m (3)

Y: Colour - Black (0), Red (4), Blue (5), Green (6), Yellow (7)

AVP FR Building Wires



Affordable, Single Core, Unsheathed, Multi-strand, plain annealed Copper, Flame Retardant PVC-Insulated Building Wires in voltage grade up to and including 1100 Volts, as per IS 694 (HSN: 85444920)

Size	Configuration	LP / 180 mtrs.	Code	Pkg.
0.75 sq. mm	24/0.20 [^]	₹4009	30631-Y	20 Coils
1.00 sq. mm	14/0.30 [*]	₹4393	30632-Y	15 Coils
1.50 sq. mm	22/0.30 [*]	₹6824	30633-Y	10 Coils
2.50 sq. mm	36/0.30 [*]	₹10998	30635-Y	8 Coils
4.00 sq. mm	56/0.30 [^]	₹16906	30636-Y	5 Coils
6.00 sq. mm	84/0.30 [^]	₹25429	30637-Y	4 Coils

Note: Coils available in 180 mtrs. (poly-bag)

Y: Colour - Black (0), Red (4), Blue (5), Green (6), Yellow (7)

*As per Conductor Class 2 of IS 8130:2013

[^]As per Conductor Class 5 of IS 8130:2013

Standard colours available: Red, Yellow, Blue, Black and Green

Multi-Core Industrial Cables



Pressfit makes multi-strand, annealed bare copper conductor, PVC-Insulated & PVC-sheathed Multi-core round flexible Industrial Cables for working voltages up to and including 1100 Volts, as per IS 694 (HSN: 85444920)

Size	Configuration	LP / 100 mtrs.			Code#	Pkg.
		2 Core	3 Core	4 Core		
0.50 sq. mm	16/0.20	₹3519	₹4989	₹6728	40-X-00-Y	8 Coils
0.75 sq. mm	24/0.20	₹5074	₹7150	₹9471	40-X-01-Y	8 Coils
1.00 sq. mm	32/0.20	₹6259	₹8971	₹11683	40-X-02-Y	6 Coils
1.50 sq. mm	48/0.20	₹9194	₹13167	₹17131	40-X-03-Y	5 Coils
2.50 sq. mm	80/0.20	₹14606	₹21258	₹28378	40-X-05-Y	4 Coils
4.00 sq. mm	56/0.30	₹22406	₹32510	₹42786	40-X-06-Y	2 Coils
6.00 sq. mm	84/0.30	₹33370	₹48390	₹63926	40-X-07-Y	2 Coils

100 mtrs. Coil
Standard colours: Black and Grey

*X: Packing - 2C (2), 3C (3), 4C (4)
Y: Colour - Black (0), Grey (2)

AVP Submersible Cables



Affordable, 3 Core PVC Insulated and sheathed Industrial Flat cables for Submersible Motors, working voltages up to and including 1100 Volts, as per IS 694 (HSN: 85444920)

Size	Configuration	LP / mtr.	Code
1.50 sq. mm	22/0.30	₹123	335030
2.50 sq. mm	36/0.30	₹196	335050
4.00 sq. mm	56/0.30	₹295	335060
6.00 sq. mm	84/0.30	₹437	335070

500 mtrs. Coil
Standard colours available: Red, Yellow, Blue, Black and Green

Aluminium Building Wires



Pressfit makes Single Core, Unsheathed, solid, good Conductivity, Aluminium Building Wires in voltage grade up to and including 1100 Volts, as per IS 694 (HSN: 85446020)

Size	Configuration SOLID	LP / 90 mtrs.	Code	Pkg.
1.50 sq. mm	1/1.38	₹438	31903-Y	-
2.50 sq. mm	1/1.78	₹677	31905-Y	-
4.00 sq. mm	1/2.26	₹883	31906-Y	-
6.00 sq. mm	1/2.76	₹1290	31907-Y	-
10.00 sq. mm	1/3.57	₹2038	31908-Y	-

Y: Colour - Black (0), Red (4), Blue (5), Green (6), Yellow (7)

Two-Core Solid Aluminium Service Cables



Pressfit makes multi-Core, Unsheathed, solid, good Conductivity, Aluminium Service Cables in voltage grade up to and including 1100 Volts, as per IS 694 (HSN: 85442010)

Size	Configuration	LP / 90 mtrs.		LP / 180 mtrs.	LP / 450 mtrs.	Code [#]	Pkg. (90 mtrs.)
		White	Black	Black	Black		
2C x 2.50 sq. mm	1/1.82	₹1740	₹1510	₹3020	₹7550	32-X-05-Y	7 Coils
2C x 4.00 sq. mm	1/2.26	₹2280	₹2040	₹4080	₹10200	32-X-06-Y	6 Coils
2C x 6.00 sq. mm	1/2.79	₹3200	₹2890	₹5780	₹14450	32-X-07-Y	5 Coils
2C x 10.00 sq. mm	1/3.57	₹4830	₹4380	₹8760	₹21900	32-X-08-Y	4 Coils
2C x 16.00 sq. mm	1/4.51	₹8230	₹7430	₹14860	₹37150	32-X-09-Y	2 Coils

[#]X: Packing - 90m (5), 180m (9), 450m (1)

Y: Colour - Black (0), White (1)

Twin-Twisted Flexible Wires



HSN: 85444920

Size	LP / 90 mtrs.	Code
14/42	₹868	397140
18/42	₹1102	397240
23/42	₹1375	397340
30/42	₹1872	397440
40/42	₹2408	397640

Twin-Parallel Flat Cables



HSN: 85444920

Size	LP / 90 mtrs.	Code
14/60	₹1765	346110
23/60	₹2906	346310

LAN Cable



Pressfit makes Solid bare copper conductor, 4 Pair unshielded twisted pair (UTP) Industrial cable for Computer LAN Networks (HSN: 85444992)

Type	LP / 305 mtrs.	Code
CAT6	₹18301	343610

Telephone Pair & Switchboard Cables



Pressfit makes Solid annealed bare copper conductor Industrial Switchboard & Telephone Cables with high density polyethylene insulation, paired, polyester taped, Nylon Rip Cord and Grey colour sheathed with FR PVC, generally conform to ITD specification S/WS 113 C (HSN: 85444992)

Type	LP / 90 mtrs.	Code
2 Pairs	₹1785	340120

0.41 mm Bare Copper Tapped with Thread

CCTV Cable



Pressfit makes Annealed Tinned copper conductor, PE insulated, ATC Braided, Polyester tape screened, PVC outer sheathed Industrial CCTV Camera Cables (HSN: 85444920)

Type	LP / 90 mtrs.	Code
3 + 1	₹2945	345230
4 + 1	₹3179	345240

RG6 Coaxial Cables (CCS)



Pressfit makes solid annealed bare copper conductor gas injected physical polyethylene foam insulated, wrapped with Aluminium Mylar tape and Al alloy wire braided, Jelly flooded and PVC Jacketing in Black Colour, Coaxial Industrial cables (HSN: 85442010)

Type	LP / 90 mtrs.	Code	LP / 300 mtrs.	Code
RG6	₹1320	342410	₹4590	342430

Transparent Speaker Cables



Pressfit makes Multi-strand annealed bare copper conductor, PVC Insulated Industrial Transparent Speaker Cable (HSN: 85442010)

Size	LP / 90 mtrs.	Code
2C x 0.50 sq. mm	₹1726	344900
2C x 0.75 sq. mm	₹2847	344910
2C x 1.00 sq. mm	₹4865	344920



34 Years of Quality Solutions

We continuously upgrade our products and technology to provide our customers with the best experience. Due to this, the product design, specifications, or packaging, may change without prior notice.

Terms & Conditions:

- 1) Discounted prices (if any) on LP above are exclusive of all taxes.
- 2) This cancels all previous price lists.

Press Fit Pipe And Profile, S. No. 127, Raj Rajeshwari Compound,
Sonale, Bhiwandi, Dist. Thane. Maharashtra - 421 302.
Customer Care: 1800-2121-770
Email: sales@pressfitindia.com

Copyright © 2021 Press Fit Pipe And Profile. All Rights Reserved.

www.pressfitindia.com



Get Pressfit Price Lists Easily

